# Punjab Engineering College (Deemed to be University), Chandigarh Sector 12, Chandigarh 160012



# **E-tender document**

For

# **Clean Room Furniture**

At

**Electronics and Communication Engineering Dept.** 

SECTION	DESCRIPTION	PAGE NO.
I	INVITATION FOR E-TENDER	3
II	TERMS AND CONDITIONS OF CONTRACT	5
III	SCHEDULE OF REQUIREMENTS (TECHNICAL BID)	9
IV	PRICE SCHEDULE (FINANCIAL BID)	13
V	GENERAL TERMS AND CONDITIONS	14

#### **SECTION I: INVITATION FOR E - TENDER**

#### FOR PURCHASE OF CLEAN ROOM FURNITURE

- 1. The Punjab Engineering College (Deemed to be University), Chandigarh invites e-bids from eligible bidders for supply of **Clean Room Furniture** as per Table-1
- 2. Interested eligible Bidders may obtain further information from ECE Dept., Punjab Engineering College (Deemed to be University), Sector 12, Chandigarh 160012, India.
- 3. The bidding document can be downloadable from institute website http://www.pec.ac.in.
- 4. All bids must be accompanied by an EMD as specified in the bid document and must be delivered to the office address mentioned below by the date and time indicated below.
- 5. Bids will be opened in the presence of Bidders' representatives who choose to attend on the specified date and time.

#### **TABLE - 1**

S.	Name of the Equipment/Item	EMD	Performance Security
No.		(INR)	Deposit
1	Clean Room Furniture	30,000.00	@ 5% of the total value
			of the contract

#### **TABLE - 2 Time Schedule**

	TABLE - 2 Time Schedule						
I	Date of publication	29.01.2021					
I	Downloading of e-tender document	Start date: 29.01.2021 10.00 AM					
		End date: 18.02.2021 03.00 PM					
III	Date of submission of e-tender	Start date: 29.01.2021 10.00 AM					
		End date: 18.02.2021 03.00 PM					
IV	Physical submission of EMD and other	Start date: 29.01.2021 10.00 AM					
	necessary pre-qualification documents	End date: 18.02.2021 03.00 PM					
	(scanned copies)						
V	Opening of Technical Bid (online)	Date: 19.02.2021 11.00 AM					
VI	Opening of Financial Bid of only eligible	To be informed after checking eligibility					
	technically qualified bidder as determined by	of Bidders					
	the Committee.						
VII	Place of opening of bids	Seminar Room					
		Dept. of Electronics and Comm. Engg.					
		Punjab Engineering College (Deemed to					
		be University),					
		Sector 12, Chandigarh 160012					
VIII	Address for communication	Head,					
		Dept. of Electronics and Comm. Engg.					
		Punjab Engineering College (Deemed to					
		be University),					
		Sector 12, Chandigarh 160012					

#### **Important Notes:**

I.	Bidders shall have to submit their bids on-line in Electronic Format with Digital
	Signatures.

	All terms and conditions, instructions to bidder regarding e-tendering process etc.
II.	may kindly be seen from the Detailed Notice Inviting Tender (DNIT) available on
	Chandigarh Administration website (http://etenders.chd.nic.in) or on the Punjab
	Engineering College (Deemed to be University) institute website ( www.pec.ac.in).
	The bidder has to submit the original documents in physical form such as EMD, &
III.	affidavit of non being black listed on the date fixed for the same as above. The
	failure will entail summarily rejection of its tender.
	The undersigned reserves the rights to reject or accept any or all tenders without
IV.	assigning any reasons.

# Director,

Punjab Engineering College (Deemed to be University), Sector-12, Chandigarh

# PUNJAB ENGINEERING COLLEGE (DEEMED TO BE UNIVERSITY), CHANDIGARH SECTION II TERMS AND CONDITIONS OF CONTRACT

- 1. Tenderers are advised to study all technical and commercial aspects, instructions, forms, terms and specifications carefully in the tender document. Failure to furnish all information required in the tender document or submission of a bid not substantially responsive to the tender document in every respect will be at the tenderers risk and may result in the rejection of the bid.
- 2. The tenderer should indicate specifically the Basic Price (inclusive of Taxes/Excise duty, other duties (if any)) and levies chargeable. No additional information will be entertained after due date.
- 3. The tenderers should give their quote in Indian currency only keeping in mind that our institute (i.e. Punjab Engineering College (Deemed to be University)) is exempted from the payment of custom and excise duty. Only custom & excise duty exemption certificate will be issued.
- 4. The Bidders shall have to submit their Bids online in Electronic Format with Digital Signatures. For participation in the e-tendering process, the Bidders need to register themselves on http://etenders.chd.nic.in/nicgep. On registration, they will be provided with a user ID and a system generated password enabling them to submit their Bids online using Digital System Certificates (DSC).
- 5. Tenders without digital signatures will not be accepted by the Electronic Tendering System. No Tender will be accepted in physical form and in case, it has been submitted in the physical form only, it shall be rejected out rightly.
- **6.** Bids will be opened online as per time schedule mentioned in e-tender notice (**SECTION I Table 2**).
- 7. Before submission of online bids, bidders must ensure that self-attested scanned copies of all the necessary documents as mentioned in SECTION III "Technical Bid" and SECTION IV "Financial Bid" of this tender document have been uploaded with the bid, failing which their bids may be out-rightly rejected and will not be considered.
- 8. It is mandatory for all the bidders to upload all the documents mentioned under tender document.
- 9. Bidder is required to upload scanned copy of EMD as specified in the tender documents and send original alongwith the affidavit as mentioned in the point no-15 below 7 forwarding letter at Annexure 2.1 in envelope in the office of Head, Electronics and Communication Engineering Dept.
- 10. The details of EMD and tender cost specified in the tender documents should be the same as submitted online (scanned copies) otherwise tender will be rejected.
- 11. The conditional bids shall not be considered and may be rejected out rightly in very first instance.
- 12. The financial bids through e-tendering of only those bidders shall be opened who will qualify in the technical bid criteria.
- 13. The bidder must have an experience of providing similar equipments/items in Govt. Institutes/Departments/College/ research labs etc. in India having minimum order value of ₹15 Lakhs each in last three financial years i.e. 2017-18, 2018-19, and 2019-20. Proof of the same demonstrating order value along with satisfactory report shall be submitted.
- 14. The bidder should have minimum Annual turnover of ₹23.00 Lakh in each of last three financial years i.e. 2016-17, 2017-18 and 2018-19. Copies of Audited financial statements shall be submitted as proof.

- 15. Manufacture should have ISO or equivalent international standard certificate. Proof of the same shall be submitted.
- 16. An affidavit as per specimen enclosed as Annexure 2.2 of SECTION II should accompany the tender. The tenderer who has been black-listed or his/her tenders have ever been cancelled or any legal proceedings have ever been initiated/pending or any penalty has ever been levied on account of delay or non-completion of supply order by any State/UT/Central Government, his/her tender will be out rightly rejected. A scanned copy of affidavit shall be uploaded online and in physical form (in original) along with EMD & forwarding letter as mentioned in Annexure 2.1.
- 17. Downloading and submission of Tender will be done by E-tendering process through the online website of Chandigarh Administration <a href="http://etenders.chd.nic.in/nicgep">http://etenders.chd.nic.in/nicgep</a>.
- 18. EARNEST MONEY DEPOSIT (EMD): The Tender should be accompanied with Earnest Money as mentioned in the Table-1 of SECTION I to be paid in the shape of A/C payee demand draft/banker cheque/FDR/bank gurantee from any Commercial Bank in favor of Director, Punjab Engineering College (Deemed to be University) Chandigarh which shall be valid for 45 days beyond final bid validity period. No firm/tenderer will be exempted from submission of EMD. The EMD deposited by the tenderer in respect of another similar tender will not be considered against this tender. Apart from submission of EMD in physical form, scanned copy of EMD duly attested and countersigned by the firms shall also be uploaded. The EMD of unsuccessful tenders will be refunded immediately after finalization/allotment of tender. No interest will be payable on the EMD. The EMD will be forfeited, if the tenderer withdraws his/her bid after submission of the Tender. Bid without the EMD shall be rejected.
- 19. TECHNICAL BID: The tenderer should submit scanned copy of documentary proof of his/her eligibility as mentioned in SECTION III "Technical Bid" of this tender document.
- 20. Tender received through e-tendering shall be opened online by the committee duly constituted by the authorities of Punjab Engineering College (Deemed to be University), as per schedule given in Tender Notice in Table 2. In the event of date of opening of Tender being declared a holiday, the due date of opening of the Tender will be the next working day at the same hours.
- 21. Tender is nontransferable.
- 22. The bidder shall submit the hard copy of e-tender along with forwarding letter (Annexure 2.1 of SECTION II) duly signed by the authorized signatory.
- 23. Financial Bid will be opened of only those bidders who qualify in the technical bid criteria through e-tendering process.
- 24. FINANCIAL BID: The financial bid (SECTION IV) shall be quoted by the bidder through etendering. The financial bid should contain rates only. The rates should be mentioned both in figures as well as in words. Any change in rate quoted by the tenderer afterwards will entail forfeiture of earnest money deposit, cancellation of tender and blacklisting of the firm.
- 25. The bid should not contain corrections or over writing.
- 26. Performance Security Deposit: The successful tenderer will have to deposit performance security @5% of the total value of tender awarded (Table -1 of SECTION I) within 15 days of issuance of letter of intent by the competent authority to be paid in the shape of fixed deposit receipts or bank guarantee, from any scheduled bank in favour of Director, Punjab Engineering College (Deemed to be University) Chandigarh which shall remain valid for a period of 60 days beyond all contractual obligations including warranty period, if any. The security deposited in connection with any other similar tender will not be considered against this tender. Thereafter, the work order will be issued. If successful tenderer fails to submit the requisite performance security deposit within prescribed 15 days, earnest money deposit (EMD) deposited by the tenderer will be forfeited.
- 27. The Director, Punjab Engineering College (Deemed to be University) Chandigarh reserves the right to accept or reject any or all tenders without assigning any reason.

### ANNEXTURE – 2.1

From							
Subject:	Submission of Teno	der for Pu	rchase of	Clean R	oom Furi	niture	
Dear Sir,							
Purchase of Chandigarh. and condition quality of processing the present the pr	College (Deemed to be ey as desired. have no claim to the ref	re for Punj Equipmen ent. I/We s any dispu , Chandiga draw of e Universit	jab Engin t's/item's shall be re te; the de arh shall b yn on Rs. ty), Chance	truly and sponsible ecision of e final and digarh, pa	college (Deal faithfully a for all confermence see the Direction of the Di	eemed to be as set for as set for mplaints as etor, Punja on me/us.  Favor of Dechandigarheecurity preserved.	th in the terms regards to the benefits Engineering intended for (Rupees irector, Punjaha is enclosed agains
implemented I/We further supply of equal during the per- date prescrib- along with the attestation are by me/us (in favorable con	in the event of my/ou d within the period of v d understand that my/ou uipment's/service/viola eriod of validity. My/Ou bed for submission of erms and conditions we and with each page of the athe capacity of sole of insideration.	alidity of r ur earnest ation of any ur tender s the tender with relevant te tender pa wner/gene	my/our termy some money shall remains against the column per including ral or spe	nder. nall stand if I/We v in valid fo he above as and and ling the en cial attor	forfeited withdraw n or a period -mentione nexure du nclosed ter ney attach	in case of ny/our tend of 120 day d notice. I ly filled in ms and con ed) is subr	e unsatisfactory der at any stage ys from the las My/Our tender under my/our nditions signed mitted for your
	ead the terms and condi ied acceptance.	tions caref	fully and h	nave signe	ed the sam	e in token	of our absolute
Thanking yo	ou,						
D1						Yo	ours faithfully,
Place						Da	gnatures ate with stamp Full Address

# **ANNEXURE - 2.2**

(To be furnished on non-judicial stamp paper duly attested by the 1st Class Magistrate or Notary Public)

#### **AFFIDAVIT**

I/We/ M/s		are registered Company/Ltd
Company etc. as per Registrat	ion Certificate No	issued
by hav	ing registered office at	
	and	manufacturing/supply base at
		leclare and solemnly affirm that I/We
		een cancelled by any State/UT/Central
		indirectly connected with or has any
•	•	y legal proceedings have ever been
		ue to delay of non-completion of
work/service/supply order by any S	tate/UT/Central Governme	ent or by any authority.
Place:		DEPONENT
1 1400		DEI ONENI
Dated:		
Verification		
•		eclarations are true and correct to the
best of my knowledge and beliefs. I	To part of it is false and no	thing has been concealed therein.
DI.		DEDONENIE
Place :		DEPONENT
Dated :		
Dateu :		

# SECTION III "Technical Bid" SCHEDULE OF REQUIREMENTS

# TABLE 3 SCHEDULE OF REQUIREMENT

	Item	Delivery Schedule	Bid Security (In Rupees)	
Clean R	Room Furniture		60 Days	30,000/-
0100111			5 5 — 1. <b>.</b> j 2	2 3,3 3 3.
S. No.	Items/Specifications	Qty.		
1	Clean Room (CLASS 100/ 1000) compatible ESD Chair with	06		
2	Footring Height adjustable:505-700 (200 mm STR * Seat size : W x D 453 x 420mm * Material of seat : PU sponge upholstered with Clean room compatible leather * Back rest size : W x H 400 X 355mm * Material of back rest : PU Molded foam upholstered with Clean room compatible leather. * Cleanliness : conforms to class -100/ ISO -5 Cleanliness standard * Column : chrome plated safety gas spring * Certification : particle emission report for cleanliness by SGS IBR laboratories  Clean Room (CLASS 100/ 1000) compatible non-ESD Chair	06		
	with Footring Height adjustable-505-700 (200 mm STR)  * Seat size: W x D 453 x 420mm  * Material of seat: PU sponge upholstered with Clean room compatible leather.  * Back rest size: W x H 400 X 355mm  * Material of back rest: PU Molded foam upholstered with Clean room compatible leather  * Cleanliness: conforms to class -100/ ISO-5 Cleanliness standard  * Column: chrome plated safety gas spring  * Certification: particle emission report for cleanliness by SGS IBR laboratories	06		
3	Clean Room (CLASS 100/ 1000) compatible ESD Stool with Footring Height adjustable-505-700 (200 mm STR) Seat size: diameter 382mm * Material of seat: PU sponge upholstered with Clean room compatible leather *Upholstery material specification: PUR upholstered with clean room class 100 vinyl: color – black * Height adjustment: able to adjust height between 550 to 700(200 mm str.)  *Wheel: 5 movable dual wheels with Dia. 50 mm * Cleanliness: conforms to class -100/ ISO-5 Cleanliness standard * Test carried out according to ISO 14644-1-2 standards *Test report will be provided * Column: chrome plated safety gas spring * Certification: particles emission report for cleanliness by SGR IBR laboratories.	02		
4	Clean Room (CLASS 100/ 1000) compatible non-ESD Stool with Footring Seat size: diameter 382mm	06		

			1	•
	* Material of seat : PU sponge upholstered with Clean room compatible			
	leather			
	*Upholstery material specification : PUR upholstered with			
	Clean room class 100 vinyl: color – black			
	* Height adjustment: able to adjust height between 550 to 700 (200 mm			
	str.)			
	*Wheel: 5 movable dual wheels with Dia. 50 mm			
	* Cleanliness : conforms to class -100/ ISO -5 Cleanliness standard			
	* Test carried out according to ISO 14644-1-2 standards			
	*Test report will be provided			
	* Column : chrome plated safety gas spring			
	* Certification: particles emission report for cleanliness by SGR IBR			
	laboratories			
5	Clean Room Compatible Powder coated/ SS-304 Anti Vibration	02		
		02		
	Table Rubber Air Spring Faebi Isolation Package			
	L-600x W-600x H-750-900 mm			
	Table load capacity - 500 kg (max.)			
	Low-frequency Rubber Air Spring with manual Level adjustable			
	damping for			
	effective vibration insulation of sensitive measurement equipment.			
	Top Granite Plate -630x630x80 mm			
	This solution includes rubber air spring having natural frequency 6 to			
	8 Hz. This system does not require continuous air pressure. (Without			
	Level controller)			
	(One time air filling need to check air pressure periodically)			
	Note: FAEBI must be having Natural Frequency of 6 to 8 Hz.			
6	Clean Room compatible Eye Wash Wall Mount Stainless Steel	01		
	Eye Wash Bowl Material :304 Stainless steel			
	Diameter of Eye Wash Bowl: 10"			
	Height of Shower :1020 mm			
	Flow rate Eye Wash :9-11 L/min			
	Foot Operated :Yes			
	Eyewash wall mount stainless steel			
7		0.4		
	Clean Room Compatible SS-304 Table With SS-Top	04		
	L= 1200mm, W=600mm, H=900 mm			
	Two Drawers of 120 mm depth(appox)			
	Worktop 1.2 mm thick			
	SS 304 matt finish			
	SS 304 pipe 25x25x1.2 mm thick			
	Hettich lock			
	Hafele telescopic channel			
	Height adjustable			
	Anodized handle			
	ISO 9001: 2000 certified			
] [				
	QRO CERTIFIED			
	TUV SUD CERTIFIED			
8	Clean room compatible SS-304 TABLE WITH GRANITE TOP	05		
	(BLACK) and TWO Drawers of 120m depth (appox.)			
	L= 1200mm, W=600mm, H=900mm			
	Worktop 18 mm thick natural black granite			
	SS 304 pipe -25x25x1.2 mm thick			
	Hettich lock			
	Hafele telescopic channel			
	Height adjustable			
	Anodized handle			
	ISO 9001: 2000 certified			
	QRO certified			
			1	
	TUV SUD certified			
9		01		
9	Clean Room Compatible Powder Coated Open Shelves Rack	01		
9		01		

	1.0001.00000		
	MOC- M S CRCA sheet makes with epoxy powder coating		
	Four Side Open		
	Fixed Legs type		
	ISO 9001: 2000 certified		
	QRO certified		
	TUV SUD certified		
10		02	
10	Clean Room Compatible SS 304 Trolley	02	
	with heavy duty nylon castor wheels		
	Length = 900 mm Depth = 600 mm Height = 900 mm		
	Four side open		
	Three nos. SS tray 1.2 mm thick		
	SS 304 pipe :25x25x1.2 mm thick		
	4 nos. Castor wheel		
	ISO 9001: 2000 certified		
	QRO certified		
	TUV SUD certified		
11	Clean Room Compatible Powder Coated Covered With Sliding	04	
	Racks		
	L=900 mm, W=500mm, H=900 mm		
	06 nos. Drawer		
	4 nos. of heavy duty nylon Castor wheel		
	M S CRCA sheet make with epoxy powder coating.		
	ISO 9001: 2000 certified		
	QRO certified		
	TUV SUD certified		
12	Clean Room Compatible Powder Coated Storage Cupboard with	01	
	Height 1500 mm		
	L=900 mm, W=600 mm, H=1500 mm		
	Three nos. partition full door metallic construction locking facility.		
	Doors M S CRCA sheet make with epoxy powder coating having		
	locking arrangement system with Metallic / Glass front		
	Shelves -M S CRCA sheet make with epoxy powder coating		
	Quantity-4 no.		
	C 1: (F M C CD CA 1 , 1 ; 1		
	Cabinet I op M S CRCA sheet make with epoxy powder coating		
	Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified		
	ISO 9001: 2000 certified		
	ISO 9001: 2000 certified QRO certified		
12	ISO 9001: 2000 certified QRO certified TUV SUD certified	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified	01	
13	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified	01	
	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified		
13	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets	01	
	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand		
	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets		
	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height		
	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated		
	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No.		
	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No. Doors M S CRCA sheet makes with epoxy powder coating having		
	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No. Doors M S CRCA sheet makes with epoxy powder coating having locking arrangement system with Metallic front and PVC HANDLE		
	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No. Doors M S CRCA sheet makes with epoxy powder coating having locking arrangement system with Metallic front and PVC HANDLE Shelves -M S CRCA sheet make with epoxy powder coating		
	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No. Doors M S CRCA sheet makes with epoxy powder coating having locking arrangement system with Metallic front and PVC HANDLE Shelves -M S CRCA sheet make with epoxy powder coating Stand- powder coated .		
	ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified  Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No. Doors M S CRCA sheet makes with epoxy powder coating having locking arrangement system with Metallic front and PVC HANDLE Shelves -M S CRCA sheet make with epoxy powder coating		
	ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm, W=400 mm, H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No. Doors M S CRCA sheet makes with epoxy powder coating having locking arrangement system with Metallic front and PVC HANDLE Shelves -M S CRCA sheet make with epoxy powder coating Stand- powder coated .		

15	Clean Room Compatible Powder Coated Employees Cabinets	01	
	With Lock		
	L-900 mm , H-1800 mm , W –450 mm		
	Employee cabinets having locking arrangement system.		
	MOC- M S CRCA sheet makes with epoxy powder coating		
	SHELVES-24 NO.		
	ISO 9001: 2000 certified		
	QRO certified		
	TUV SUD certified		
16	Clean Room Compatible Powder Coated Sample Storage Covered	01	
	With Sliding Drawers		
	L-600 mm, , Height - 900 mm , W-450mm		
	Height-6 inch of 12 drawers		
	MOC-M S CRCA sheet makes with epoxy powder coating		
	Sample storage covered with sliding 12 drawers having locking		
	arrangement system and wheels.		
	Hafele telescopic channel		
	ISO 9001: 2000 certified		
	QRO certified, TUV SUD certified		
	Note:		
	1. Color of Furniture and design to be approved by PEC officials.		
	2. Clean Room Furniture should be made of non-shedding material that i	is easy	
	to clean.		
	3. Clean Room furniture should be alcohol wiped, clean room bagged.		
	4. All clean room furniture should be post processed.		
	<ol><li>Bidder has to provide clean room compatible certificate for each iter</li></ol>	n.	

Offer will be accepted/uploaded in two covers under Details containing:

**FIRST COVER TITLED** as "Technical Bid" should contain the Self-attested scanned copies of following with consecutive Sr. No.:-

- 6. Name of the firm/organization & address Contact person name and telephone/ Mob. No./Fax. No. / on letter pad of the company/firm.
- 7. Earnest money deposit as mentioned in Point 17 of SECTION II of this tender document.
- 8. The bidder must have an experience of providing similar equipments/items in Govt. Institutes/Departments/College/ research labs etc. in India having minimum order value of ₹15 Lakhs each in last three financial years i.e. 2017-18, 2018-19, and 2019-20. Proof of the same demonstrating order value along with satisfactory report shall be submitted.
- 9. The bidder should have minimum Annual turnover of ₹23.00 Lakh in each of last three financial years i.e. 2016-17, 2017-18 and 2018-19. Copies of Audited financial statements shall be submitted as proof.
- 10. Self-attested copies of PAN/TAN Card/GST Registration no.
- 11. Certificate of acceptance of terms & condition mentioned in Section II and Section V of Tender Document.
- 12. Manufacturer authorization certificate.
- 13. Manufacture should have ISO or equivalent international standard certificate. Proof of the same shall be submitted.
- 14. Registration Certificate of the company/firm issued by the competent authority
- 15. Affidavit of not being Black Listed (Affidavit as per Annexure 2.2 of SECTION II)
- 16. The bidder should have a service support center in India.
- 17. Covering letter (Annexure 2.1 of SECTION II)
- 18. List of Users of said equipments/items.
- 19. Proof of supplying similar equipment/item in Govt. Institutes along with satisfactory performance.

NOTE: All the above mentioned documents should be duly in order and are essential to qualify at Technical Bid Stage.

#### **SECTION IV**

#### FINANCIAL BID

#### SECOND COVER TITLED AS "FINANCIAL BID" CONSIST OF

Financial (Price) Bid for Purchase of **Clean Room Furniture** is to be submitted online in excel sheet provided.

#### **Notes:**

- 1. Rate should be quoted in Indian Rupees only inclusive of Taxes/Levies as per Indian law except custom duty/excise duty.
- 2. The Institute is registered with the Deptt. Of Scientific & Industrial Research(DSIR) for purpose of availing custom duty exemption in terms of Govt. Notification no. 51/96-Customs dated 23.07.1996 and Central Excise Duty Exemption in terms of Govt. notification no. 10/97- Central Excise dated 01-03-1997 as amended from time to time.

#### **SECTION V**

#### GENERAL TERMS AND CONDITIONS

#### 1. Clarification of Bidding Documents

A prospective Bidder requiring any clarification of the bidding documents may notify the PEC in writing or by telex or cable or fax at the PEC's mailing address indicated in the Invitation for Bids. The PEC will respond in writing to any request for clarification of the bidding documents which it receives no later than 15 days prior to the deadline for submission of bids prescribed by the PEC.

#### 2. Amendment of Bidding Documents

At any time prior to the deadline for submission of bids, the PEC may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding documents by amendment.

In order to allow prospective bidders reasonable time in which to take the amendment into account in preparing their bids, the PEC, at its discretion, may extend the deadline for the submission of bids.

#### 3. Language of Bid

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the PEC, shall be written in English language. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the English language in which case, for purposes of interpretation of the Bid, the translation shall govern.

#### 4. Period of Validity of Bids

Bids shall remain valid for 120 days after the deadline for submission of bids prescribed by the PEC. A bid valid for a shorter period shall be rejected by the PEC as non-responsive.

#### 5. Opening of Bids by the PEC

The PEC will open all bids, in the presence of Bidders' representatives who choose to attend, as per the schedule given in Table-2.

The Bidders' representatives who are present shall sign a register evidencing their attendance. In the event of date of opening of Tender being declared a holiday, the due date of opening of the Tender will be the next working day at the same hours and venue.

#### 6. Warranty

The entire items shall be in Warranty (from OEM) for the one year from complete commissioning & handing over the system.

#### 7. Payment

- Payment for Goods and Services shall be made in Indian Rupees only as follows:
  - 1. On Final Acceptance
  - 2. 100 percent of the Contract Price shall be paid on the Successful Installation, Training and Satisfactory performance
- The Supplier's request(s) for payment shall be made to the PEC in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and the Services performed, and by documents, submitted and upon fulfillment of other obligations stipulated in the contract.
- Payments shall be made promptly by the PEC
- Payment shall be made in Indian Rupees only.
- No advance payment will be made. Payment will be released after satisfactory receipt of goods/ material, demonstration/training and installation

#### 8. Documents comprising the Bids

The Bids prepared by the Tenderers shall comprise of following components:

- Bid to be furnished as per the format for technical specifications.
- Technical literature for each product/service, covering full technical specifications.
- Bid prices should be quoted item wise as per format provided in excel sheet only duly signed and complete as per the format.
- Maximum educational discount as could be offered should be mentioned.

#### 10. Others Terms and Conditions

- An EMD/ bid security of equipment/item should be submitted in form A/C payee demand draft/banker cheque/FDR from any Commercial Bank valid for 45 days beyond the final bid validity period from any commercial bank in favour of Director Punjab Engineering College (Deemed to be University), Chandigarh. Tender without earnest money shall be considered unresponsive and rejected.
- A Performance security @ 5% of the total value of contract will have to be deposited by the successful bidder awarded the supply order in form of Fixed deposit receipt or Bank Guarantee from a scheduled bank which should be valid for 60 days beyond the completion of warranty/contract period.
- Performance Security will be forfeited and credited to the institute (Punjab Engineering College (Deemed to be University), Chandigarh) in the event the supplier does not honour the warranty/contract and other terms and conditions of the tender.
- Price quoted should be inclusive of Taxes/Levies as per Indian law except custom duty/excise duty.
- The Institute is registered with the Deptt. Of Scientific & Industrial Research(DSIR) for purpose of availing custom duty exemption in terms of Govt. Notification no. 51/96-customs dated 23.07.1996 and Central Excise Duty Exemption in terms of Govt. notification no. 10/97- Central Excise dated 01-03-1997 as amended from time to time.
- The delivery period for supply of the material is 60 days from the date of supply order. The penalty will be charged @ 0.5% of cost of equipment/item per week after the expiry of delivery period, mentioned in the purchase order if delivery date is not extended by the PEC.
- Detailed Catalogue should be sent along with supply of equipment/item.
- All legal disputes will be subject to Chandigarh Jurisdiction and will be interpreted under Indian Laws.
- The Director Punjab Engineering College (Deemed to be University) reserves to himself the right to reject any or all tenders without assigning any reasons.
- The firm who has been blacklisted by Centre/State Govt/UT/Boards/Corporations/any government authority/Punjab Engineering College (Deemed to be University) are not eligible for the Tender.
- All the rates will be FOR, Punjab Engineering College (Deemed to be University), Chandigarh.
- The institute being a premier Education and Research Institute funded by Chandigarh Administration, discounts as applicable to Research Institute/Educational Institutes may be provided in the Tender.

- The bidders shall not be allowed to change, alter or modify the bids after expiry of the deadlines for the receipts of bids.
- The firm is entirely responsible for any damage or losses occurred to the material in the transit. The firm will lodge all complaints regarding the damage occurred in the transit and shall bear all expenses.
- In a tender, either Indian agent on behalf of the Principal/(Original Equipment Manufacturer) OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same tender for the same item/ product.
- EMD/Performance security will stand forfeited if a bidder withdraws its bid during the period of bid validity specified by the bidder on the bid form (SECTION V), and in case of successful bidder, if the bidder fails to supply the equipment/item or to furnish performance security in accordance with the tender.
- Bids received after the due date will not be considered.
- The tenderer is required to bring their own testing and measurement instruments which are required for the installation, commissioning and testing. These can be taken back after completion of the process.
- In case, any free gift scheme / cash scheme is launched by the company same will be offered by the vender to Punjab Engineering College (Deemed to be University), Chandigarh free of cost.
- Generally the bid offer will be received /opened on the day as specified in the schedule. If the scheduled date is declared as a holiday, then the tender shall be received / opened on the next working day at the same time.
- The agency shall arrange to provide demonstration/Training to the concerned lab staff regarding operation / maintenance of equipment/item free of cost.
- A technical compliance chart of the quoted product mentioning technical specifications of quoted product verses asked specifications is compulsory. Attach the compliance chart with technical bid.
- Tender validity should be 120 days from the opening of tender.

All the terms and Conditions of this tender document are acceptable to me /us.

Signature of Bidder

#### PERFORMANCE SECURITY FORM

## (on Non-Judicial Paper)

#### BANK GUARANTEE BOND FOR PERFORMANCE WARRANTY

Τo The President of India, through the Director Punjab Engineering College (Deemed to be University), Sector-12, Chandigarh-160012 Dear Sir, Sub: 1. You, on behalf of President of India, have entered into a contract with reference No. "as with (herewith after referred the contractor") for the development, fabrication and supply of (herein after referred to as stores) for the price and on the terms and conditions contained in the said contract. 2. In accordance with the terms of said contract the Contractor has undertaken to produce a Bank Guarantee for Rs being 5% of (Rs ) of the total value of the said stores supplied to you for the due fulfilment of its obligations to the President of India for due performance as per the contract during warranty period. 3. In consideration thereof, we happily expressly, irrevocably and unconditionally undertake and guarantee as principal obligors on behalf of the contractor that in the event that the President of India submits a written demand to us that the contractor has not performed according to the contractual obligations included in the said contract, we will pay you on the written demand, without demur and without reference to the contractor any sum up to a maximum amount of (Rupees.\_\_\_\_ Your demand shall be conclusive evidence to us that such repayment is due under the terms of the said contract. Payment by us to you will be made within (30) days from receipt of your written request making reference to this guarantee and on demand. 4. This guarantee shall not be revoked without your express consent and shall not be affected by your granting any indulgence to the contractor, which shall include but not be limited to postponement from time to time of the exercise the same in any manner at any time and either to forbear or to enforce any covenant continued or implied in the said contract or any other course remedy or security available to you, and our Bank shall not be released from its obligations under this guarantee by your exercising any of your rights with reference to matters aforesaid or any of them or by reason of any other indulgence shown by you or by any other matter or thing whatsoever which under law would, but for this provision, have the effect of relieving our bank from its obligation under this guarantee. Not withstanding anything herein contained, our liability under this guarantee is restricted 

6.	aforesaid expiry date	as provided above or unless	e is made on us in writing of this guarantee is extended by a all be discharge from the liabi	us all your rights
7.	_	not be affected by any char other reason whatsoever.	nge in the constitutions of our	Bank or of the
its		, Lastly undert he prior consent from your o	ake not to revoke this guarar office in writing.	ntee during
No	ot with standing anythi	ng contained herein:		
i.		ler this Bank Guarantee sh	nall not exceed Rs).	
ii.	This Bank Guar	antee shall be valid upto_	·	
issuan Origin	Guarantee only a This Bank Guaran h at ce has been fulfilled	tee shall be returned to or upon expiry of this guar	ount or any part thereof unus a written claim or demand our Name of the Ban Office Address, once the purrantee whichever is earlier. guarantee with specific requirements	d on or before $\frac{k}{2}$ pose of the Even return of
Wittne	ess:	,Signature		_
Wittne	ess:	,Signature		
For	Bank		For	Bank
Autho	rized Signatory		Authorized	d Signatory

day of being reported to us by you returned to us duly

force upto and including the discharged.