BID DOCUMENT FOR Renovation of hall in the Shivalik Hostel for Yoga cum Meditation Centre at Punjab Engineering College, Sector-12, Chandigarh

Last Date of Submission:	05.06.2023 upto 12.00 PM
Opening of Tender:	05.06.2023 at 3.00 PM
Estimated Cost:	20,27,152/-
EMD:	40,543/-
Time	04 Month

Punjab Engineering College

(Deemed to be University)

Sector-12- Chandigarh

E-TENDER NOTICE

The University Engineer, Punjab Engineering College, Chandigarh invites on behalf of the Director, Punjab Engineering College E-Tenders on percentage basis from listed eligible contractors of appropriate class and category enlisted with Chandigarh Administration, Municipal Corporation, Chandigarh, CPWD, State PWDs of Punjab, Haryana and Himachal and their Boards and Corporations of states shall be uploaded and received on http:// etenders.chd.nic.in upto 12.00 hours on 05.06.2023 which shall be opened at 15.00 Hrs. on 05.06.2023 for the work.

Sr No	NI T No	Name of work & location	Estimated cost put to tender	Earnest money	Period of Completion	Last date & time of submission of tender on website	Time&dateofopeningoftender
1	2	3	4	5		8	9
1.		Renovation of hall in the Shivalik Hostel for Yoga cum Meditation Centre at Punjab Engineering College, Sector-12, Chandigarh	20,27,152/-	40,543/-	04 Month	05.06.23 upto 12.00 PM	05.06.23 at 3.00 PM

- 1. Bid document can be downloaded from the website of Punjab Engineering College (<u>www.pec.ac.in</u>) or <u>http://tenders.chd.nic.in/</u>.
- 2. All other terms and conditions, instructions to bidder regarding e-tendering process etc. may kindly be seen from the detailed Notice inviting Tender (NIT) available/downloadable on the above noted websites.

<u>Eligibility Criteria: -</u>

The agencies can submit application alongwith certificate(s) from appropriate authority showing experience of having successfully completed works during last seven years ending last day of the month previous to the one in which applications are invited. The work complete upto previous day of last day of submission of tender shall also consider.

(i) Three similar works each of value not less than (40%) or two similar works each of value not less than (60%) or one similar work of value not less than (80%)

Similar work shall mean works of "(Civil and Building Works)

(ii) The bidder should have average financial turnover 50% of estimated cost of the above work during the last three financial years ending 31st March 2022.

University Engineer Phone No. 0172-2753059 Dated:

Endst. No:

A Copy forwarded to the following for information and n/action.

- 1. CE&W
- 2. Webmaster (For uploading the tender notice on institute and e-tendering website)
- 3. Notice Board.

University Engineer Phone No. 0172-2753059

Conditions: -

The Earnest Money Shall be deposited through Demand Draft/ FDR in favour of Director, Punjab Engineering College, Chandigarh and to be submitted in the office of University Engineer on or before the due date and time. The receipt for the same should be uploaded alongwith the technical bid.

	nding bidder has to upload the receipt of EMD submitted.						
	LITY CRITERIA for the Post Qualification of the intending contractors/firms shall be as follows acanned copies of the same shall have to be uploaded under folder B of E-Tender :-						
a AVERAGE ANNUAL FINANCIAL TURNOVER during the last 3 years ending 2022 should be at least 50% of the estimated cost. (scanned copy of certificate from Chartered Accountant should be uploaded and need to upload entire voluminous Balance sheets)							
	Experience of having successfully completed similar works as per CPWD Manual Works during last 7 years ending last day of the previous month in which the tender is invited should be either of the following: - (The work completed upto previous day of last day of submission of tender shall be considered)						
i)	Three similar completed works each costing not less than the amount equal to 40% of the estimated cost.						
	OR						
ii)	Two similar completed works each costing not less than the amount equal to 60% of the estimated cost.						
	OR						
iii)	One similar completed work costing not less than the amount equal to 80% of the estimated cost.						
b	DEFINITION OF SIMILAR WORK: - SIMILAR WORK MEANS "(Civil & Building Works)						
с	The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to last date of receipt of application of tenders.						
d	The intending bidder/contractor along with the bid should furnish an AFFIDAVIT duly attested by Notary Public/ First class Magistrate ON STAMP PAPER in Folder "B" as per specimen given below:-						
Е	AFFIDAVIT						
	To become eligible for e-tendering, the tenderer shall have to furnish an affidavit as under:-						
	a) That I/We hereby declare that I/we have not been black listed/ debarred/suspended by any Govt./ Semi Govt./ Board/ Corporation/ Private firms as on last date of receipt of tender.						
	b) That I/we undertake and confirm that eligible similar work (s) has/ have not been executed through another contractor on back to back basis. Further it is undertaken that if such a violation comes to the notice of Punjab Engineering College, Chandigarh, then I/we shall be debarred from tendering in Punjab Engineering College, Chandigarh in future forever. Also if such a violation comes to the notice of institute, the Engineer-in-charge shall be free to forfeit the entire amount of Earnest Money/Performance Guarantee deposited by me/us.						
	c) That the deponent further undertake that he/she/ director(s)/partner(s) of the proprietor/ firm/company/agency have never been convicted of any criminal offence.						
	d) That I/we also undertake that the particulars given by me are true and correct to the best of my knowledge and belief and nothing has been concealed thereof. I am aware that in case of any discrepancy/ false statement found, it will lead to rejection of my bid/tender and the institute will debar/blacklist the proprietor/ firm/agency as per policy of blacklisting issued by Chandigarh Administration vide notification dated 27.02.2009.						
	and the s a i) iii) c c						

		Dated: Signature of the firm/agency
		NOTE: Affidavit should be of latest date. The Affidavit of date prior to six months from the date of publishing the tender shall not be considered for qualification of Technical Bid
3.	Corrig the we	ation and Instructions for bidders posted on website shall form part of bid document i.e. the endum/Addendum issued if any, before the receipt of online bid will be uploaded /made available on bsite. It will be the responsibility of the Contractors/ prospective bidders to make amendments in id accordingly.
4.	they c	contractors not registered on the website mentioned above, are required to get registered. If needed an be imparted training on online tendering process as per details available on the website. The ng bidder must have valid digital signature to submit the bid.
5.	Engine	arnest Money Shall be deposited through Demand Draft/ FDR in favour of Director, Punjab ering College, Chandigarh and to be submitted in the office of University Engineer on or before the te and time. The receipt for the same should be uploaded alongwith the technical bid
6.		py of the other documents as specified above in the Notice shall be scanned and uploaded to the e- ng website within the period of Bid submission.
7.	partici Bid do	idders shall have to submit their Bids online in Electronic Format with Digital Signatures. For pation in the e-tendering process the Bidders need to register themselves on http://etenders.chd.nic.in. becument can be downloaded from the website of Punjab Engineering College (<u>www.pec.ac.in</u>) or tenders.chd.nic.in.
8.		ntractor/agency will ensure that no children are engaged at the site of work.
9.		ntractor will ensure the enrollment of children of labourers working at their site of works in nearby as per instructions of CEUT Chandigarh UO No.W1/2014/4045-46 dt.11.03.2014.
10		irchase tax, turnover or any other tax applicable in respect of this contract shall be payable by the etor and Government will not entertain any claim whatsoever / in respect of the same.
11	Instru	ctions to Bidders regarding e-tendering process:-
	t	Cenders without digital signatures will not be accepted by the Electronic Tendering System. No ender will be accepted in physical form and in case it has been submitted in the physical form it shall be rejected summarily.
		Before submission of on-line Bids, Bidders must ensure that scanned copies of all the necessary locuments have been uploaded with the Bid.
		t will be mandatory for all the Bidders to upload all the documents.
		The Deptt. will not be responsible for any delay in on-line submission of the Bids due to any reason whatsoever.
	(The details of EMD specified in the Tender documents should be the same as submitted on-line scanned copies) otherwise tender will be rejected summarily.
	t	Corrigendum issued if any before the receipt of online bid will be available on the website. It will be he responsibility of the contractor to make amendments in his bid accordingly.
12		LIST OF DOCUMENTS TO BE SCANNED AND UPLOADED WITHIN THE PERIOD OF UBMISSION IS AS UNDER :-
	I	The bid documents of only those bidders shall be opened whose EMD is received in the office of Jniversity Engineer on or before the due date and other documents scanned and uploaded are found n order.
<u> </u>		Performance Certificate as per CPWD Manual.
		Certificate of Financial Turnover for last three financial years from Chartered Accountant.
		Affidavit as per format attached.

13	Before submission of online Bids, Bidders must ensure that scanned copies of all the necessary documents have been uploaded with the Bid. The technical bids will be examined based only on the uploaded documents. NO CORRESPONDENCE OR PHYSICAL SUBMISSION OF ANY ADDITIONAL DOCUMENT THEREAFTER WILL BE ENTERTAINED BY THE DEPARTMENT. <i>However in case any scanned and uploaded documents is not clearly readable due to dim contents, then the Department may ask the bidder to submit the clear copy of the same but no additional document other than uploaded shall be accepted.</i>
14	The Agency has to produce the original documents as and when asked for by Engineer in Charge. The failure of the Agency to furnish the said original documents will entail summarily rejection of its tender.
16	No Tender will be accepted in physical form and in case it has been submitted in the physical form it shall be rejected summarily.
17	THE CONDITIONAL TENDERS SHALL BE REJECTED STRAIGHT AWAY.
18	Engineer in charge reserves the right to verify the particulars furnished by the applicant/ firm/ contractor independently. If any information furnished by the applicant is found incorrect at a later stage, the firm/ contractor shall liable to be debarred for future tendering in Punjab Engineering College.
19	Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractor(s) who resort to canvassing will be liable for rejection.
20	The tender for the works shall remain open for acceptance for a period of 75 (days) from the opening of technical bid. If any tenderer withdraws his tender or makes any modifications in the terms & conditions of the tender which is not acceptable to the department within 7 days after opening of tender (excluding date of opening of tender) then the Government shall without prejudice to any other right or remedy, be at liberty to forfeit 50% of the earnest money absolutely. After 7 days of opening of tender the Government shall without prejudice to any other right or remedy, be at liberty to forfeit 100% of the earnest money absolutely. The bidders shall not be allowed to participate in the rebidding process of the work.
21	The recovery of water charges shall be made as per Notification issued by the Secretary Local Govt. Chandigarh Administration vide notification No. 6/1/195-FII(8)2011/4088, dated 24.05.2011and amended from time to time.

For and on behalf of Director, Punjab Engineering College

University Engineer, PEC

INDEX DNIT

Name of Work: - Renovation of hall in the Shivalik Hostel for Yoga cum Meditation Centre at Punjab Engineering College, Sector-12, Chandigarh

Sr.	Description	Sheet
No.		
1.	Section-I Checklist for contractors, CPWD-6	1-10
2.	Section-II-CPWD Form 7, Schedule 'A' to 'F'	11-18
3.	Section-III-Special Conditions	19-25
4.	Section-IV-Annexure	26-28
5.	Section-V-Schedule of Quantities	29-

CHECK LIST FOR CONTRACTORS FOR SUBMISSION OF TENDERS

- 1. TENDER TO BE WITNESSED AT SHEET NO II- 2 OF TENDER DOCUMENTS
- 2. THE TENDER / TENDERS CONTAINING CONDITIONS CONTRARY TO THOSE SPECIFIED IN THIS DOCUMENT SHALL BE SUMMARILY REJECTED.
- 3. IN SCHEDULE OF QUANTITIES APPENDED TO THE TENDER DOCUMENTS, AT SECTION VI & VII WORKS, THE RATES MUST BE FILLED BOTH IN WORDS AND FIGURES. THE AMOUNT SHOULD BE WORKED OUT FOR INDIVIDUAL ITEMS AND TOTALLING DONE.
- 4. THE CONTRACTOR(S) SHALL QUOTE THE RATES KEEPING IN MIND, GENERAL CONDITIONS OF CONTRACT OF CPWD WORKS-2019 AS CORRECTED & AMENDED UPTO DATE, SPECIAL CONDITIONS AND PARTICULAR SPECIFICATIONS ETC.
- 5. CRITERIA FOR ENGAGEMENT OF SPECIALIZED AGENCIES HAVE BEEN LAID AT SHEET III (ii), WHICH MAY BE NOTED.
- 6. THE CONTRACTOR/ AGENCY SHALL QUOTE THE RATE KEEPING IN VIEW THAT THEY HAVE TO GIVE AN UNDERTAKING BEFORE AWARD OF WORK THAT **"THEY WILL INSTALL/ ARRANGE FIELD TESTING INSTRUMENTS, ESSENTIAL T&P AS PER SHEET NO.** <u>V".</u>
- 7. THE CONTRACTOR(S) SHALL QUOTE THE RATE OF TMT REINFORCEMENT BARS Fe 500D KEEPING IN MIND RATES OF PRIMARY PRODUCERS ONLY AND CLAUSE 10CA WILL BE APPLICABLE ACCORDINGLY.
- 8. IT WILL BE MANDATORY TO CONSITUTE DISPUTE RESRESSAL COMMITTEE (DRC) & CONTACTOR OR EPARTMENT CAN ONLY SEEK ARBITRATION IF NOT SATISFIED WITH THE DECISION OF DRC. DRC SHALL BE HEADED BY CHIEF ENGINEER WHEN TOTAL CLAIMS ARE LESS THAN 25.00 LACS. THIS SHOULD BE READ ALONGWITH PROVISION OF CLAUSE 25 OF GCC 2014 DULY AMENDED & MODIGIED UPTO DATE.
- 9. STE TEST REGISTERS & MAS REGISTERS TO BE MAINTAINED BY CONTRACTOR:-
- 10. FOR ALL THE NEW CONTRACTS TO BE DRAWN IN FUTURE ABOVE THE TENDERING LIMIT OF CLASS-V CONTRACTORS, ALL TEST REGISTERS AND MATERIAL AT SITE REGISTERS SHALL BE MAINTAINED BY THE CONTRACTOR WHICH WILL BE REVIEWED BY THE OFFICERS OF CPWD AT REGULAR INTERVALS.
- 11. THE CONTRACTOR SHALL REGER SHEET NO. III FOR TESTING OF MATERIALS/ MAINTAINING OF TEST REGISTERS DURING EXECUTION OF THE WORK.

SECTION-I

Check list, CPWD-6 Project Summary

CWD-6

Punjab Engineering College Deemed to be University Sector-12, Chandigarh NOTICE INVITING TENDER

The University Engineer, Punjab Engineering College, Chandigarh invites on behalf of the Director, Punjab Engineering College E-Tenders on percentage basis from listed eligible contractors of appropriate class and category enlisted with Chandigarh Administration, Municipal Corporation, Chandigarh, CPWD, State PWDs of Punjab, Haryana and Himachal and their Boards and Corporations of states shall be uploaded and received on http:// etenders.chd.nic.in upto 12.00 hours on 05.06.2023 which shall be opened at 15.00 Hrs. on 05.06.2023 for the work.

Name of Work: - Renovation of hall in the Shivalik Hostel for Yoga cum Meditation Centre at Punjab Engineering College, Sector-12, Chandigarh

1.1 The work is estimated to cost **Rs. 20,27,152/-** This estimate, however, is given merely as a rough guide.

1.2 <u>Eligibility Criteria:-</u>

The agencies can submit application alongwith certificate(s) from appropriate authority showing experience of having successfully completed works during last seven years ending last day of the month previous to the one in which applications are invited. The work complete upto previous day of last day of submission of tender shall also consider.

(i) Three similar works each of value not less than (40%) or two similar works each of value not less than (60%) or one similar work of value not less than (80%)

Similar work shall mean works of "(Building works)"

(ii) The bidder should have average financial turnover 50% of estimated cost of the above work during the last three financial years ending 31st March 2022.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of receipt of applications for tenders.

1.3 To become eligible for e-tendering, the tenderer shall have to furnish an affidavit as under:-

That I/We hereby declare that I/we have not been black listed/ debarred/suspended by any Govt./ Semi Govt./ Board/ Corporation/ Private firms as on last date of receipt of tender. That I/we undertake and confirm that eligible similar work (s) has/ have not been executed through another contractor on back to back basis. Further it is undertaken that if such a violation comes to the notice of Punjab Engineering College, Chandigarh, then I/we shall be debarred from tendering in Punjab Engineering College, Chandigarh in future forever. Also, if such a violation comes to the notice of institute, the Engineer-in-charge shall be free to forfeit the entire amount of Earnest Money/Performance Guarantee deposited by me/us.

2. Agreement shall be drawn with the successful tenderer on prescribed CPWD Form No.7 as per "General conditions of the contract of CPWD works-2019" (which is available as a Govt. of India Publication)

and the Amendment/changes in clauses of the General Conditions of the contract for CPWD works-2019. Tenderer shall quote his rates as per various terms and conditions of the said form, which will form part of the agreement.

- 3. The time allowed for carrying out the work will be 04 Month from the date of start as defined in Schedule 'F' or from the first day of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- **4.** The site for the work is available. Yes
- (a) Last date of receipt of Application shall be
 (b) Last Date of sale of Tender Documents shall be
 (c) Tender Cost.

 As mentioned in the tender notice
 Free of cost

(d) Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of contract to the completed with be the contractor whose tender may be accepted and other necessary documents can be seen in the office of the **University Engineer, Punjab Engineering College, Chandigarh** between hours of 11.00 A.M. & 04.00 PM every day except on Saturday, Sunday and Public Holidays.

6. (a) The Earnest Money Shall be deposited through Demand Draft/ FDR in favour of Director, Punjab Engineering College, Chandigarh and to be submitted in the office of University Engineer by 12:00 p.m. by the due date. The receipt for the same should be uploaded alongwith the technical bid

(b). Copy of Enlistment certificate (**Civil and Building Works**) and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to the e-Tendering website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice shall have to be submitted by the lowest bidder only.

- 7. The bid submitted shall become invalid if;
 - (i) The bidder is found ineligible.
 - (ii) The bidder does not upload all the documents including GST registration as stipulated in the bid document and **photocopy of EMD depositing slip.**
 - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted **physically by the lowest tenderer** in the office of tender opening authority.

8. List of Documents to be scanned and uploaded within the period of bid submission:

- 1. The intending bidder has to upload photocopy of EMD depositing slip.
- II. Certificate of Work Experience. i.e. Completion Certificate.
- III. Certificate of Financial Turnover for last 3 years from CA.
- IV. Any other Document as specified in the press notice.
- V. Affidavit as per provisions of clause 1.2.3 of CPWD-6.
- VI. Certificate of Registration for GST and acknowledgement of up to date filed return if required.

9. The contractor whose tender is accepted will be required to deposit furnish performance guarantee of an amount equal to 3% (3 Percent) of the tendered amount with in the period specified in schedule F. This guarantee shall be in the form of Demand Draft/ Deposit at call receipt/ Bankers Cheque/ Pay Order/ FDR of any scheduled bank in accordance with the prescribed form.

10. The description of the work is as follows: -

Name of Work: - Renovation of hall in the Shivalik Hostel for Yoga cum Meditation Centre at Punjab Engineering College, Sector-12, Chandigarh

Copies of other drawings and documents pertaining to the work will be open for inspection by the tenderers at the office of the **University Engineer**, **Punjab Engineering College**, **Chandigarh**.

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his/her own cost all materials, tools and plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local condition and other factors having a bearing on the execution of the work.

- 11. The competent authority on behalf of Director, PEC does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all of the tenders received without the assignment of any reason. All tenders, in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.
- 12. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 13. The competent authority on behalf of Director, PEC reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 14. The tender for the works shall remain open for acceptance for a period of Seventy Five (75) DAYS /from the opening of technical bid (strike out as the case may be). If any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the institute shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said Earnest Money as aforesaid and to forfeit the whole of the Earnest Money if the tenderer fails to submit the Performance Guarantee in the prescribed time after issue of letter of acceptance. Further, the tenderer shall not be allowed to participate in the re-tendering process of the work.

In the event the tenderer whose tender is accepted and the award letter issued after the receipt of Performance Guarantee MOU signed with electrical associates in the prescribed form and time, fails to commence the work "along with change in scope, if any" in the prescribed time or abandons work before its completion, the institute shall without prejudice to any other right or remedy be at liberty to forfeit the whole of the Earnest Money and Performance Guarantee shall stand forfeited in full and shall be absolutely at the disposal of the Director, PEC.

- 15. This Notice Inviting Tender shall form a part of the contract document. The successful tenderer/contractor, on acceptance of his tender by the accepting authority, shall, within 15 days from the stipulated date of start of the work sign the different component part of the contract
- 16. The notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- 17. Standard C.P.W.D. Form 7 as per "General conditions of contract for CPWD works-2019 and all the conditions of the contract will be as per the General Conditions of contract for CPWD works 2019.

For and on behalf of Director, Punjab Engineering College

University Engineer, Punjab Engineering College Sector-12, Chandigarh.

<u>SECTION-II</u> <u>CPWD Form 7, Schedule 'A' to 'F'</u> TENDER

I/We have read and examined the Notice Inviting Tender, Schedule A, B, C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special Conditions, Schedule of Rate and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the Director, PEC within the time specified in Schedule 'F', viz. Schedule of Quantities and in accordance in all respects with the Specifications, Designs, Drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of Contract and with such materials as are provided for, by and in respects in accordance with, such conditions so far as applicable.

We agree to keep the tender open for (75) Seventy Five days from date of opening of technical bid and not to make any modifications in its terms and conditions.

A sum of Rs. 40,543/- is hereby deposited as EMD in the form of demand draft in the office of University Engineer, PEC Chandigarh. If I/we fail to furnish the prescribed Performance Guarantee within prescribed period, I/we agree that the said Director, PEC or his successor in office shall without prejudice to any other right or remedy be at liberty to forfeit the said Earnest Money absolutely. Further, if I/we fail to commence the work as specified. I/we agree that Director, PEC or his successors in office shall, without prejudice to any other right or remedy available in law, be at liberty to forfeit the earnest money and the Performance Guarantee absolutely, otherwise the said earnest said money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2, 12.3 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of earnest money or both Earnest Money & Performance guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

Further, I/We agree that in case of forfeiture of earnest money or both Earnest Money & Performance guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

I/We hereby declare that I/we shall treat the tender documents, drawings and other records connected with the work as Secret / Confidential documents and shall not communicate information / derived there from to any person other than a person to whom I/we am/are may authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated	Signature of Contractor	
Witness:	Postal Address:	
Address:		
Occupation:		<pre>></pre>
	Telephone No.	
	Fax:-	
	E-Mail:-)

ACCEPTANCE

The above tender (as modified by you as provided in	the letters mentioned hereunder) is accepted by me
for and on behalf of the Director,	PEC for a sum of Rs
(Rupees	
The letters referred to below shall form part of	
this contract agreement.	For & on behalf of the Director, PEC.
i)	Signature
ii)	
iii)	
iv)	
Dated:	

University Engineer, Punjab Engineering College Chandigarh

SCHEDULES

SCHEDULE 'A' Schedule of quantities In case of composite tender

As per Section – VII

Description of item		Quantity		
	Civil Work	P.H. Work	Electrical work	Total
a) DSR Items		NA		
b) N.S. Items				

-

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	Description of item. Qu	ıantity.	Rate in figures & words at which the material will be charged to the contractor	Excluding 3% store charges	Place of issue
1.	Cement		Rs. 6400/-		
2.	Tor Steel (All Size		Rs. 38500/-		
(1)	(2)	(3)	(4)	(5)	
CUE					

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.NO. DESCRIPTION. HIRE CHARGES PLACE OF ISSUE PER DAY	S.NO.	DESCRIPTION.	HIRE CHARGES PER DAY	PLACE OF ISSUE
---	-------	--------------	-------------------------	----------------

SCHEDULE 'D'

Extra schedule for specific requirements/ documents for the work, if any.

1.	Amendments/ Changes in Clauses of the General Conditions of Contract to CPWD Works - 2019	_	Section – III
2.	Special Conditions	-	Section – IV
3.	Particular Specifications.	-	Section – V
4.	Annexure	-	Section - VI

SCHEDULE 'E'

Schedule of component of other materials, Labour, POL etc. for price escalation:-

CLAUSE 10 CC:

Component of civil (Except materials covered under clause 10CA)/	'Xm' Nil %
Electrical construction materials expressed as percent of total value of work.	Nil %
Component of labour expressed as percent of total value of work.	'Y' Nil %
Component of P.O.L. expressed as percent of total value of work.	'Z' Nil %

SCHEDULE 'F':-

Reference to General Conditions of Contract._____

Name of Work: Renovation of hall in the Shivalik Hostel for Yoga cum Meditation Centre at Punjab Engineering College, Sector-12, Chandigarh

1.2	Estimated Cost of work: -	Rs. 20,27,152/-
1.3	Earnest Money: -	Rs. 40,543/-
1.4	Performance Guarantee	3.00% of tendered value
1.5	Security Deposit	2.5% of Work Done
1.6	Time Allowed	04 Month
1.7	The following expressions shall unless specifically assigned to them.	the context otherwise require have the meanings hereby
1.7.1	University Engineer, PEC Or Successor thereof	
1.7.2	Dean Infrastructure, Planning & Estate Or Successor thereof	
1.7.3	Director, PEC Or Successor thereof	
1.8	Delhi Schedule of Rates (DSR)	DSR-2021 with correction/amendments
1.8.1	CPWD Specifications	CPWD Specifications 2014.
Gene	ral Rules & Directions:-	
Offic	er Inviting Tender: -	University Engineer
of wo are to	mum percentage for quantity of items ork to be executed beyond which rates be determined in accordance with ses 12.2, 12.3 & 12.5	As per clause 12 (Detail given below)
Defin	itions:-	
2(v)	Engineer-In-Charge	University Engineer
2(viii) Accepting Authority	Director

2(x)	Percentage on cost of materials and labour to cover all overheads and profits	15%	
2(xi)	Standard Schedule of Rates	Delhi	Schedule of Rates 2021
8.1	The order of preference: -	Quant	case of discrepancy between the Schedule of ities, the Specifications and/ or the Drawings, llowing order of preference shall be observed:- Nomenclature of item as per Schedule of Quantities
		(ii)	Special Conditions.
		(iii)	Particular Specifications.
		(iv)	CPWD Specifications.
		(v)	Architectural Drawings.
		(vi)	Indian Standard Specifications of B.I.S.
9(ii) Stand	lard CPWD Contract Form	CPWD III.	Form 7 with latest amendments as per Section-
performar	- allowed for submission of ace guarantee after date f letter of acceptance		15 days
per day of	a allowable extension with late fee @ Performance Guarantee amount e period. Provided in (i).	0.1%	1 to 15 days
Clause-2:	- I. Authority for fixing compensati under clause-2.	on	University Engineer
	II. Whether clause-2A shall be applicable.		NA
Clause-5:	- Time allowed for execution of work.		Refer Para 1.6 Sheet No.II-4
	Authority to give fair and		Appropriate clause of CPWD Work Manual 2021.
	reasonable extension of time for completion of work. Mile Stone		Refer Para (A) Table of Milestones
Clause-6,			
	Clause applicable- (6 or 6A):-		Clause 6 applicable
Clause-7:	 Gross work to be done together with net payment / adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment 	ent	Refer Para (B) Table of Milestones

Clause-10A:-

List of testing equipment to be provided by the contractor at site lab.

Clause-10-B (i).	
Whether clause 10-B (i) shall be	Yes
Applicable	
Clause-10-B (ii).	
Whether clause 10-B (ii) shall be	
applicable	NA
Clause-10C:-	
Component of labour expressed as percent of	NA

total value of work.

Clause :- 10CA

Materials covered under this clause	Nearest material (other than cement , reinforcement bars	Base price of the materials cove	ered under 10CA
	and structural steel) for which all India whole sale price index to be followed	Base Price	Correspondence Period
 Cement OPC II)PPC Reinforcement bars (TMT- 	N/A	Rs. 7000/- Rs. 6400/-	July 2020 Rates taken are ex-stockyard prices excluding GST.
500D)(a) Primary manufacturers		Rs. 40931/-	
3. Structural steel		Rs. 38500/-	

Clause-10-CC	:- Clause 10CC to be applicable in
	contracts with stipulated period of completion exceeding the period.
Clause-11:-	Specifications to be followed for execution of work

- Clause-12:- Type of Work
- Clause-12(a) Accord sanction of substituted items.
- Clause 12(b) Accord sanction of extra items. 12.2 & 12.3 Deviation limit beyond which clause 12.2 & 12.3 shall apply for building work

super structure.

- 12.5 Deviation limit beyond which clause 12.2 & 12.3 shall apply for foundation works
- Clause-16:- Competent Authority for deciding reduced rates.

____ Nil.

C.P.W.D. Specifications

Original Appropriate clause of CPWD Works Manual 2014.

-do-

Any quantity increased/decreased shall be carried out by the contractual agency at contractual rate.

Any quantity increased/decreased shall be carried out by the contractual agency at contractual rate

As per appropriate clause of CPWD Works Manual 2021 with latest

17

modification upto Date

Clause 18 :-

List of mandatory machinery tools & Plants to be deployed by the Contractor at site.

Type of Work

Original Works

Clause-36

S.no	Minimum qualifica- tion of technical representati ve	Disci- pline	Designation(Princi pal Technical/Technic al Representative	Minimum Experience	Number	Rate at which made from co event of non c	
						Figures	Words
1.							
2.							

N.A

Clause-42:-

- (e) a) Schedule/Statement for determining theoretical quantity of cement & bitumen
- (f) Variations permissible on theoretical quantities.
 - a) i) Cement for works with estimated cost Put to tender for more than Rs.5 Lacs.
 ii) -do- Less than 5 lacs
 - b) Steel Reinforcement and structure steel Steel sections for each diameter, section And category
 - c) All other materials
 - d) Bitumen for all works

+ 0.3% Plus minus only

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

S.No.	Description of items	Rates in figures and words at which recovery shall be made from the contractor		
		Excess beyond permissible Less use from the permissible variation		
1.	Cement	As per CPWD Manual		
2.	Steel	-do-	XXXXXX	

XXX to be filled in by Executive Engineer

Correction-Nil Deletion-Nil Insertion-Nil Overwriting-Nil Sheet No.II-6

Delhi Schedule of Rates 2021

2% plus/minus.

3% plus/minus

2% plus/minus

Nil

TABLE OF MILE STONE (S)

Name of Work: - Renovation of hall in the Shivalik Hostel for Yoga cum Meditation Centre at Punjab Engineering College, Sector-12, Chandigarh

Para (A) In Physical / Financial Terms: -

	Milestone Programme				
Sl. No.	Gross Work Done Of Total Work Allotted	Time Allotted (From date of start)	Amount to be withheld in case of non-achievement of milestone		
1.	20 %	40 days	1.25% of Tendered Amount		
2.	50 %	75 days	1.25% of Tendered Amount		
3.	80 %	90 days	1.25% of Tendered Amount		
4.	Completion of work i/c testing etc. complete	120 days	1.25% of Tendered Amount		

<u>Para (B): -</u>

Gross work to be done together with net payment/ adjustment of advances for material collected if any, since the last such payment for being eligible to interim payment.

SECTION –III

SPECIAL CONDITIONS

1.0 General

- 1.1 Except for the items, for which Particular Specifications are given or where it is specifically mentioned otherwise in the description of the items in the schedule of quantities, the work shall generally be carried out in accordance with the "CPWD Specifications" (Refer Para 1.7.5 of Schedule F at **Sheet No. II 4** and as per instructions of Engineer-in-Charge. Wherever CPWD Specifications are silent, the latest IS Codes / Specifications shall be followed and the rates should be all inclusive.
- 1.2 Any reference made to any Indian Standard Specifications, shall imply to the latest version of that standard, including such revisions / amendments as issued by the Bureau of Indian Standards upto last date of receipt of tenders. The Contractor shall keep at his own cost all such publications including relevant Indian Standard applicable to the work at site.
- 1.3 The work shall be executed and measured as per metric dimensions given in the Schedule of Quantities, drawings etc. (FPS units wherever indicated are for guidelines only).
- 1.4 The work should be planned in a systematic manner so that chase cuttings in the walls, ceilings and floors is minimized. Wherever absolutely essential, the chase shall be cut using chase cutting machines. Chases will not be allowed to be cut using hammer / chisel. The electrical boxes should be fixed in walls simultaneously while raising the brick work. The contractor shall ensure proper co-ordination of various disciplines viz. sanitary & water supply, horticulture & electrical etc.
- 1.5 All the hidden items such as water supply lines, drainage pipes, conduits, sewers etc. are to be properly tested before covering.
- 1.6 Samples including brand / quality of materials and fittings to be used in the work shall be got approved from the Engineer-in-Charge, well in advance of actual execution and shall be preserved till the completion of the work.
- 1.7 Equipment like concrete pump excavators/Transit mixer etc. shall be allowed to be moved away from the site when, in written opinion of Engineer-in-Charge, the same are no longer required at site of work.
- 1.8 The contractor, his agents / representative, workman etc. shall strictly observe orders pertaining to fire precautions prevailing in the area.
- 1.9 Contractor(s) shall study the soil investigation report for the site, available in the office of the Engineerin-Charge and satisfy himself about complete characteristics of soil and other parameters at site. However, no claim on the alleged inadequacy or incorrectness of the soil data supplied by the department shall be entertained.
- 1.10 The tenderer shall see the approaches to the site. In case any approach from main road is required at site or existing approach is to be improved and maintained for cartage of materials by the contractor, the same shall be provided, improved and maintained by the contractor at his own cost.
- 1.11 Contractor shall take all precautionary measures to avoid any damage to adjoining property. All necessary arrangement shall be made at his own cost.
- 1.12 The contractor shall take all precautions to avoid accidents by exhibiting necessary caution boards day and night, speed limit boards, red flags, red lights and providing barriers. He shall be responsible for all damages and accidents caused to work due to negligence on his part. No hindrances shall be caused to traffic, during the execution of the work.
- 1.13 The contractor shall take instructions from the Engineer-in-Charge regarding collection and stacking of materials at any place. No excavated earth or building rubbish shall be stacked on areas where other buildings, roads, compound wall, services etc are to be constructed.
- 1.14 The contractor shall provide at his own cost suitable weighing, surveying and leveling and measuring arrangements as may be necessary at site for checking. All such equipments shall be got calibrated in advance from laboratory, approved by the Engineer-in-Charge. Nothing extra shall be payable on this account.
- 1.15 Contractor shall provide permanent bench marks, flag tops and other reference points for the proper execution of work and these shall be preserved till the end of work. All such reference points shall be in relation to the levels and locations, given in the Architectural and plumbing drawings.
- 1.16 Water tanks, taps, sanitary, water supply and drainage pipes, fittings and accessories should conform to byelaws and municipal body / corporation where CPWD Specifications are not applicable. The contractor should get the materials (fixtures/fittings) tested by the Municipal Body / Corporation authorities wherever required at his own cost.
- 1.17 The work shall be carried out in accordance with the Architectural drawings and Structural drawings, to be issued from time to time, by the Engineer-in-Charge. Before commencement of any item of work, the contractor shall correlate all the relevant architectural and structural drawings issued for the work, nomenclature of items, specifications etc. and satisfy himself that the information available there from is

complete and unambiguous. The figures & the written dimensions of the drawing shall supersede the measurement by scale. The discrepancy, if any, shall be brought to the notice of the Engineer-in-Charge for immediate decision before execution of the work. The contractor alone shall be responsible for any loss or damage occurring by the commencement of work on the basis of any erroneous and/ or incomplete information and no claim, whatsoever shall be entertained on this account.

- 1.18 The Architectural drawings other than those indicated in nomenclature of items are only indicative of the nature of the work and materials/fittings involved unless and otherwise specifically mentioned.
- 1.19 The contractor should submit the shop drawing of staging and shuttering for approval of Engineer-in-Charge before actually commencing the execution of work under the item. Nothing extra shall be payable on this account.
- 1.20 Other agencies may also simultaneously execute and install the works and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings, trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. shall be available as specified elsewhere in the contract) and the contractor shall fix the same at the time of casting of concrete, stone work and brick work, if required, and nothing extra shall be payable on this account.
- 1.21 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor(s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed so as not to interfere with the operations of other contractor or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of others.
- 1.22 All material shall only be brought at site as per program finalized with the Engineer-in-Charge. Any predelivery of the material not required for immediate consumption shall not be accepted and thus not paid for.
- 1.23 The contractor shall procure the required materials in advance so that there is sufficient time for testing of the materials and approval of the same before use in the work.
- 1.24 Existing drains, pipes, cables, over-head wires, sewer lines, water lines and similar services encountered in the course of the execution of work shall be protected against the damage by the contractor at his own expense. The contractor shall not store materials or otherwise occupy any part of the site in a manner likely to hinder the operation of such services. In case temporary supporting/shifting of such services is required to facilitate the work, the same shall be done by the contractor at no extra cost.

In case the existing services are to be shifted permanently, then before dismantling the existing services, alternate/diversion of service lines has to be laid by the contractor so that there is no interruption in use of existing services. The contractor has to plan the alternate suitable route for diversion/shifting of service lines and get the same approved from the Engineer-in-Charge before starting shifting of services. Nothing extra shall be paid except the payment of dismantling and laying of new service lines as per conditions of contract.

- 1.25 The contractor shall be responsible for the watch and ward / guard of the buildings, safety of all fittings and fixtures including sanitary and water supply fittings and fixtures provided by him against pilferage and breakage during the period of installations and thereafter till the building is physically handed over to the department. No extra payment shall be made on this account.
- 1.26 The contractor shall be fully responsible for the safe custody of materials brought by him/ issued to him even though the materials may be under double lock key system.
- 1.27 For construction works which are likely to generate malba / rubbish to the tune of more than a tempo / truck load, contractor shall dispose of malba, rubbish & other unserviceable materials and wastes at his own cost to the notified specified dumping ground and under no circumstances these shall be stacked / dumped even temporarily, outside the construction premises.
- 1.28 The excavated surplus earth shall be disposed off by the contractor as per directions of Engineer-in-Charge.
- 1.29 In case of composite work, the successful bidder should have the valid electrical license or work shall be executed by the agency having the valid electrical license (Mutual agreement and electrical license to be submitted, before the start of work).

1.30 All disputes concerning with this work/tender are subject to the Chandigarh jurisdiction.

- **2.0** Unless otherwise specified in the schedule of quantities, the rates for respective items shall be all inclusive and apply to the following: -
 - All lifts & all heights, floors including terrace, leads and depths.
 - (ii) All labour, material, tools and plants and other inputs involved in the execution of the item.
 - (iii) Any of the conditions and specifications mentioned in the tender documents.
 - (iv) Pumping / bailing out surface water / rain water / sub soil water, if necessary for any reason.
 - (v) Providing sunk flooring in bath-rooms, kitchen, etc.
 - (vi) Any legal or financial implications resulting out of disposal of earth, if any.

- (vii) Payment of Royalty at the prevailing rates, if any, on the boulders, metal, shingle, sand and bajri etc. or any other material collected by him for the work direct to revenue authorities.
- (viii) Performance test of the entire installation(s) before the work is finally accepted.
- (ix) Any cement slurry added over base surface (or) for continuation of concreting for better bond is deemed to have been built in the items .
- (x) All incidental charges for cartage, storage and safe custody of materials brought to site.

3.0. TESTING OF MATERIAL: -

- 3.1 Samples of materials required for testing shall be provided free of charge by the contractor. The cost of tests shall be borne by the contractor / department in the manner indicated below: -
- a) By the contractor, if the results show that the material does not conform to relevant specifications.
- b) By the department, if the results show that the material conforms to relevant specifications.
 - All other expenditure required to be incurred for taking samples; conveyance, packing etc. shall be borne by the contractor himself.
- 3.2 However, if any ultrasonic pulse velocity / load testing or special testing is to be done for concrete whose strength is doubtful, the cost of the same shall be borne by the contractor.
- 3.3.1 In case there is any discrepancy in frequency of testing as given in list of mandatory tests and that in individual sub-heads of work as per CPWD Specifications higher of the two frequencies of testing shall be followed and nothing extra shall be payable on this account.

4.0 SECRECY

- 4.1 The contractor shall take all steps necessary that all persons employed on any work in connection with the contract have notice that the Indian Official Secrets Act 1923 applies to them & will continue so to apply even after the execution of such works under the contract.
- 4.2 The contract in confidential and must be strictly confirmed to the contractor's own use (except so far as confidential disclosure to sub-contractors or suppliers as necessary) and to the purpose of the contract.
- 4.3 All documents, copies thereof & extracts there from furnished to the contractor shall be returned to the Engineer-in-Charge on the completion of the work / works or the earlier determination of the contract.

5.0 LABOUR AND SECURITY

- 5.1 Contractor should provide his plan for labour huts as per his requirement and get it approved from the Engineer-in-Charge. The contractor will be provided space for labour huts etc. inside the campus but the space requirement and location, as assessed by Engineer-in-Charge shall be final and binding.
- 5.2 Contractor has to follow the security requirement of the campus and obtain necessary entry passes for the labour and vehicles and follow security checks at entry / exit gates, restriction on movement of vehicle, restricted timings of working etc. The Department however shall assist the contractor in obtaining such passes for movement of vehicles and labour. No claim whatsoever shall be entertained on account of delay in entry of vehicles and labour including restrictions in working hours, if there is any.
- 5.3 The contractor shall employ only Indian Nationals after verifying their antecedents and loyalty. The contractor shall, on demand submit list of his agents, employees and work people concerned & shall satisfy as to the bonafides of such people.
- 5.4 The contractor & his work people shall observe all relevant rules regarding security promulgated in which work is to be carried out by the Controlling Administrative Authority of the campus/area (hereinafter referred to as "Administrator").
- 5.5 The contractor, his representative, workman shall be allowed to enter through specified gates & timing as laid down by the controlling authority. They shall be issued an identity card or an individual pass in accordance with the standing rules & regulations & they should possess the same while working. The contractor shall be responsible for the conduct & actions of his workman, agents / representatives.
- 5.6 Normally contractor shall be allowed to carryout work between 7 AM to 6 PM. However, he may also be allowed to carryout the work beyond 6 PM & upto 7 AM if the site conditions / circumstances so demand with prior written permission from the "Administrator". However, if the work is carried out in more than one shift or at night, no claim on this account shall be entertained.
- 5.7 Normally contractor's material / vehicles etc shall be allowed to move in / go-out between 7 AM to 7 PM only & no movement of material / vehicles out of site of work shall be allowed during night hours unless specific permission is obtained from the "Administrator".
- 5.8 In case if a separate entry has been allowed, the contractor has to make all arrangement for making a separate entry gate and barricading of the working area to segregate/separate the same from other areas. All these have to be done by the contractor at his own cost including safeguarding any untoward incident in the restricted area due to separate entry gate and barricading arranged by the contractor. No extra amount on this account shall be payable by the department.

6.0 TRANSPORTATION AND OFFICE INFRASTRUCTURE:

- 6.1 In order to complete the work within the scheduled time if the contractor shall be required to do the work in more than one shift and accepted by the department the contractor will provide vehicular facilities to the CPWD site staff to reach the site and their residence at his own cost for their services required beyond the normal office hours. In case the contractor fails to provide the facilities Engineer-in-Charge shall be at liberty to make the arrangement themselves and deduct the respective cost from the contractor's bills.
- 6.2 For Quality Control Measures, Preparation of Bills and Monitoring the Quality, the contractor shall provide (min. one number) Computer having MS-Windows XP, A-3 Coloured Inkjet & A-4 Laserjet Printers, Scanners, UPS etc. with required number of data entry operator in the site office of Engineer-in-Charge.

7.0 PROGRAM CHART: -

- 7.1 The Contractor shall prepare an integrated program chart for the execution of work, showing clearly all activities from the start of work to completion, with details of manpower, equipment and machinery required for the fulfillment of the program within the stipulated period or earlier and submit the same for approval of the Engineer-in-Charge within **15 days** of the issue of letter of acceptance for the contract.
- 7.2 The work has to be completed in stages as indicated in the Milestones under Schedule 'F' and the program should be prepared in such a manner to achieve these Milestones as indicated therein or earlier.
 .3 The program chart should include the following: -
 - The program chart should include the following: -a) Descriptive note explaining sequence of various activities.
- b) Network (PERT / CPM / BAR CHART) which will indicate resources in financial terms, manpower and specialized equipment for every important stage.
- c) Program for procurement of materials by the contractor.
- d) Program of procurement of machinery / equipments having adequate capacity, commensurate with the quantum of work to be done within the stipulated period, by the contractor.
- 7.4 If a any time, it appears to the Engineer-in-Charge that the actual progress of work does not conform to the approved program referred above, the contractor shall produce a revised program showing the modifications to the approved program by additional inputs to ensure completion of the work within the stipulated time.
- 7.5 The submission of revised program or approval by the Engineer-in-Charge of such program or the furnishing of such particulars shall not relieve the contractor of any of his duties or responsibilities under the contract. This is without prejudice to the right of Engineer-in-Charge to take action against the contractor as per terms and conditions of the agreement.

Notwithstanding the fact that the contractor will have to pay to the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour regulations and the agreement entered upon and/or extra amounts for any other reason.

8.0 PROGRESS AND MONITORING OF WORK:

Contractor shall give the Engineer-in-Charge on the 10th day of each month, progress report of the work done during the previous month. Such progress report will include the project progress summary, work progress (planned v/s. actual), PERT chart, milestone status, financial progress status, manpower deployment status, important materials consumed, materials at site at the beginning of the month, materials consumed during the month and the balance quantities at the end of month and progress of the work stating the reasons for shortfall, if any including the steps and measures to be taken for making good the shortfall in the succeeding period. Non submission of aforesaid progress report shall make contractor liable for action under breach of contract conditions.

9.0 SAMPLE OF MATERIALS:-

9.1 All materials and fittings brought by the contractor to the site for use shall conform to the samples approved by the Engineer-in-Charge which shall be preserved till the completion of the work. If a particular brand of material is specified in the item of work in Schedule of Quantity, the same shall be used after getting the same approved from Engineer-in-Charge. Wherever brand / quality of material is not specified in the item of work, the contractor shall submit the samples as per List of Preferred Makes as at Sheet No. VI-12 &13 for approval of Engineer-in-Charge. For all other items, ISI Marked materials and fittings shall be used with the approval of Engineer-in-Charge. Wherever ISI Marked material / fittings are not available, the contractor shall submit samples of materials / fittings manufactured by firms of repute conforming to relevant Specifications or IS codes for the approval of Engineer-in-Charge.

- 9.2 To avoid delay, contractor should submit samples as stated above well in advance so as to give timely orders for procurement. If any material, even though approved by Engineer-in-Charge is found defective or not conforming to specifications shall be replaced / removed by the contractor at his own risk & cost.
- 9.3. BIS marked materials except otherwise specified shall also be subjected to quality test besides testing of other materials as per the specifications described for the item/material. Wherever BIS marked materials are brought to the site of work, the contractor shall, furnish manufacturer's test certificate or test certificate from approved testing laboratory to establish that the material procured by the contractor for incorporation in the work satisfies the provisions of specifications relevant to the material and / or the work done.

BIS marked items (except cement & steel for which separate provisions have been made in para 10.0) required on the work shall be got tested, for only important tests, which govern the quality of the product, as decided by the Engineer-in-Charge. The frequency of such tests (except the mandatory test) shall be 5% of the frequency as specified in BIS. For mandatory test, frequency shall be as specified in the CPWD Specifications

9.4 For certain items, if frequency of tests is neither mentioned in the CPWD Specifications & BIS, then tests shall be carried out as per decision of Engineer-in-Charge.

10.0 CEMENT & STEEL REINFORCEMENT (IF NOT STIPULATED TO BE SUPPLIED BY THE DEPARTMENT).

- 10.1 Contractor has to produce manufacturers test certificate for each lot of Cement & Steel Reinforcement procured at site.
- 10.2 **CEMENT:-**
- 10.2.1 The contractor shall procure 43 Grade Ordinary Portland Cement and/or Portland Pozzolona Cement (Fly Ash based), required in the work from reputed manufacturers of cement as per the approved make in 50 kg. bags bearing manufacturer's name and ISI marking, along with manufacturers test certificate for each lot. Portland Pozzolona Cement is however not to be used for RCC works.
- 10.2.2 Samples of cement arranged by the contractor shall be taken by the Engineer-in-Charge and got tested in accordance with provisions of relevant BIS Codes. The cement for such testing purpose shall be supplied by the contractor free of charge. In case test results indicate that the cement arranged by the contractor does not conform to the relevant BIS Codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer-in-Charge to do so. The cost of tests shall be borne by the contractor/department in the manner indicated below:
 - i) By the contractor, if the results show that the cement does not conform to relevant BIS Codes.
 - ii) By the department, if the results show that the cement conforms to relevant BIS Codes.
- 10.2.3 OPC/ PPC shall be brought at site in bulk supply of approximately 30 tonnes or as decided by the Engineer-in-Charge.
- 10.2.4 OPC/ PPC bags shall be stored in separate godowns. Separate godowns for tested cement and fresh cement (under testing) to be constructed by the contractor at his own cost as per sketches given in C.P.W.D Specifications having weather-proof roofs and walls. The size of the cement godown is indicated in the sketches for guidance. The actual size of godown shall be as per site requirements and nothing extra shall be paid for the same. Each godown shall be provided with a single door with two locks. The keys of one lock shall remain with Engineer-in-Charge of the work and that of other lock with the authorized agent of the contractor at the site of work so that the cement is issued from godown according to the daily requirement with the knowledge of both parties. The account of daily receipt and issue of cement shall be maintained in a register in the prescribed proforma and signed daily by the contractor or his authorized agent and Engineer-in-Charge or his authorized representative in token of its correctness. The day to day receipt and issue accounts of different grade/brand of cement shall be maintained separately in the standard proforma by the contractor or his authorized representative which shall be duly signed by the authorized representative of the Engineer-in-Charge before issue to the work on day to day basis.

The capacity of each cement go-down shall be 1000 bags of cement or more as decided by the Engineerin-Charge and shall be constructed by the contractor at site of work and at the site of batching plant for which no extra payment shall be made. The contractor shall be responsible for the watch and ward and safety of the cement go-downs. The contractor shall facilitate the inspection of the cement go-downs by the Engineer-in-Charge at any time.

10.2.5 The actual issue and consumption of cement on work shall be regulated and proper accounts maintained as provided in the contract. The theoretical consumption of cement shall be worked out as per procedure prescribed in Clause-42 of the contract and shall be governed by the conditions laid therein.

10.2.6 If the quantity of cement actually used in the work is found to be more than the theoretical quantity of cement including authorized variation, nothing extra shall be payable to the contractor on this account. In the event of it being discovered that after the completion of the work, the quantity of cement used is less than the quantity ascertained as herein before provided (allowing variation on the minus side as stipulated in Clause - 42), the cost of quantity of cement not so used shall be recovered from the contractor as specified in schedule. Decision of the Engineer-in-Charge in regard to theoretical quantity of cement which should have been actually used as per the schedule and recovered at the rate specified, shall be final and binding on the contractor.

For non-scheduled items, the decision of the Superintending Engineer regarding theoretical quantity of the cement, which should have been actually used, shall be final and binding on the contractor.

- 10.2.7 Cement brought to site and cement remaining unused after completion of work shall not be removed from site without written permission of the Engineer-in-Charge.
- 10.2.8 In case the contractor brings surplus quantity of cement the same shall be removed from the site after completion of work by the contractor at his own cost after approval of the Engineer-in-Charge.
- 10.2.9 Cement, which is not used within 90 days from its date of manufacture, shall be retested at approved laboratory. Until the results of such tests are found satisfactory, it shall not be used on the work.

13.0 Defect liability:

13.1 The contractor's liability during the defect liability period from the final date of completion as per clause 17 shall be limited to rectification of defects including replacement as follows which in the opinion of Engineer-in-Charge are not man made.

Sl. No.	Description	Defect Liability		
(i)	Anti termite treatment.	(a) Termites found if any till guarantee period to be rectified through post ATT.		
(ii)	Concrete	 (a) Rectification of structural / superficial / non-structural cracks. (b) Rectification of dampness / seepage in roof slab / junctions & sunken portion. (c) Rectification of cracks in beam, shade, column. 		
(iii)	Brick work	 (a) Rectification of cracks in panel wall / portion. (b) Cracks / settlement of dwarf walls. (c) Rectification of efflorescence. 		
(iv)	Joinery	(a) Replacement of warped joinery.(b) Cracks in panels, rails / styles etc.		
(v)	Builders Hardware	(a) Repairs / Replacement of loosened / pre-mature failure of fittings.(b) Tightening / Replacement of sag in mosquito proofing.		
(vi)	Steel & Iron work	 (a) Rectification / Replacement of defective part of rolling shutter. (b) Redoing of defective portion in fabrication / welding including painting. (c) Steel windows, grills, gates etc. – defects to be rectified. 		
(vii)	Roof treatment	 (a) Rectification of leakage / seepage of roof slab including covering at junction till guarantee period. 		
(viii)	Plastering	 (a) Rectification of structural / superficial cracks if any. (b) Rectification of protruding / peeling off plaster if any. (c) Rectification of efflorescence 		
(ix)	Flooring	(a) Rectification of sinking portion of plinth protection including saucer drain.(b) Settlement of foundation & floors.		
(x)	Plumbing / Sanitary fittings	 (a) Making good of leakage through soil / waste pipe joints. (b) Replacement of looking mirror if found wavy. (c) Rectification of leakage of over head tanks. (d) Leakage / seepage of sunken floor, blockage of taps / pipes, non-functioning of cistern. 		
(xi)	Finishes	(a) Making good of defective / dissimilar patches of painting to match with remaining surfaces.		
(xii)	Internal Water Supply	 (a) Repairs / Replacement of defective taps / fittings. (b) Repair to leakage of GI water pipe lines including joints. (c) Removal of blockage of GI pipe lines. 		
(xiii)	Roads	(a) Repair of sinking portion of road & potholes, if any		

Sl. No.	Description	Defect Liability
	9	
(xiv)	Sewage	(a) Rectification of slope / system if found defective during use.
		(b) Rectification of major blockage in Sewer lines.
		(c) Cracks & settlement of sewage lines.
(xv)	Drains	(a) Repair to Drains.
		(b) Settlement of Drains
(xvi)	External Water	(a) Repairs to installations & fittings.
	Supply	
(xvii)	General	(a) All manufacturing defects of structures / fixtures / fittings /
		equipments other than listed above.

16. Supplementary special condition :

16.1 The stone aggregate for R.C.C. / C.C. items shall be double screened and washed and shall comply with the grading requirement as specified in IS-383 (latest edition) for stone aggregate besides meeting other requirement as specified their in. If the contractor / agency to use crushed aggregate nothing extra

shall be paid on this account.

16.2 The contractor agency shall make his own arrangement of water for construction purposes. Incase, the contractual agency takes temporary water connection from M.C., Chandigarh, the recovery of water charges @ 1.5% shall be made as per Notification issued by the Secretary Local Govt. Chandigarh Administration vide notification No. 6/1/195-FII(8)2011/4088, dated 24.05.2011 conveyed vide E.E. M.C. P.H. Division No. 2 vide memo

no. 1533-62, dated 02.06.2011.

16.4 The bidder shall have to give undertaking regarding constitution of the firm /business i.e. whether proprietorship firm/Partnership firm/ Limited Company/Public Limited Company at the time of submission of tender and any change in the same at any stage shall be immediately intimated in writing to the Engineer-in-charge. In case of partnership/Limited/Public Limited companies, the Article of Memorandum of Association shall be submitted by the bidder.

- 16.5 GST or any other tax applicable in respect of this contact shall be payable by the Contractor and Government will not entertain any claim whatsoever in respect of the same.
- 16.6 The department will assist in arranging electric and water connection at the site of work. However the Security / Consumption / installation charger shall be borne by the contractor.
- 16.7 In case of failure or default in the performance or responsibilities or breach of terms and conditions of DNIT or agreement, action as per "Policy on blacklisting, 2009" issued vide Finance Department Chandigarh Administration Notification No. 1927-F&PO(3)-2009/1170 dt. 27.2.2009 shall be taken.
- 16.8 All deviation beyond permissible limit shall be paid with financial approval of the competent authority at the already approved contractual rates for the respective items.

SECTION - IVnnexure FORM OF PERFORMANCE SECURITY BANK GUARANTEE BOND

In consideration of the Director, PEC (hereinafter called "The Government") having offered to accept the terms and conditions of the proposed agreement between ______ and _____ (hereinafter called "the said contractor(s)" for the work ______ (hereinafter called "The said called "the said contractor(s)" for the work agreement") having agreed to production of an irrevocable Bank Guarantee for Rs._____ (Rupees only) as security/guarantee from the contractor(s) for compliance of his obligations in accordance with the terms and conditions in the said agreement.

- (hereinafter referred to as "the Bank) hereby undertake 1. We to (indicate the name of the bank) pay to the Government an amount not exceeding Rs. (Rupees only) on demand by the Government.
- _ do hereby undertake to pay the amounts due and payable 2. We

(indicate the name of the bank)

under this Guarantee without any demure, merely on a demand from the Government stating that the amount claimed is required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the Bank shall be conclusive as regardss the amount due and payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs._____ (Rupees _____ only).

We, the said bank further undertake to pay to the Government any money so demanded notwithstanding any dispute or 3. disputes raised by the contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal.

The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the contractor(s) shall have no claim against us for making such payment.

We ______ further agree that the guarantee herein contained shall (indicate the name of the Bank) 4.

remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the Government under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer-in-Charge on behalf of the Government certified that the terms and conditions of the said agreement have been fully and properly carried out by the said contractor (s) and accordingly discharges this guarantee.

5. further agree with the Government that the government We (indicate name of the bank)

shall have the fullest liberty without our consent and without effecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Government against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said contractor(s) or for any forbearance, act of omission on the part of the Government or any indulgence by the Government to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).

7. We_ _____lastly undertake not to revoke this guarantee except (indicate the name of Bank)

with the previous consent of the Government in writing.

8. This guarantee shall be valid upto _____ unless extended on demand by Government. Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs._ _____ only) and unless a claim in writing is lodged with us within six months of the date of (Rupees expiry or the extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharged.

> _____ day of___ Dated the ____ for

GUARANTEE BOND TO BE EXECUTED BY THE CONTRACTOR FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF RENOVATION OF ENTRANCE OF LIBRARY (CIVIL & ELECTRICAL WORK)

WHEREAS THIS agreement is supplementary to a contract (Hereinafter called the Contract) dated and made between the GUARANTOR OF THE ONE PART AND the Government of the other part, whereby the contractor inter alia, undertook to render the work in the said contract recited structurally stable, leak proof and sound material, workmanship, sealing, finishing etc as specified in bill of quantities .

AND WHEREAS THE GUARANTOR agreed to give a guarantee to the affect that the said work will remain structurally stable, leak proof and guaranteed against faulty material and workmanship, and finishing for two years from the date of completion of work.

NOW THE GUARANTOR hereby guarantee that work executed by him will be free from any leakage, seepage, cracks in pipes and guaranteed against faulty material and workmanship, defective galvanizing for two years to be reckoned from the date after the expiry of maintenance period prescribed in the contract.

The decision of the Engineer-In-Charge with regard to nature and cause of defect shall be final.

During this period of guarantee, the guarantor shall make good all defects and in case of any defect to satisfaction of Engineer-in-charge at his cost and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-charge calling upon him to rectify the defects failing which the work shall be got done by the Department by some other contractor at the guarantor's cost and risk. The decision of the Engineer-in-Charge as to the cost payable by the Guarantor shall be final and binding.

That if the guarantor fails to make good all defects or commits breach thereunder, then the guarantor will indemnify the principal and his successor against all loss, damage, cost expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and or cost incurred by the Government, the decision of the Engineer-in-charge will be final and binding on both the parties.

SIGNED, sealed and delivered by OBLIGATOR in the presence of :-

1.....

1	2.		
SIGNED FOR AND ON BEHALF OF THE Direct	ctor PEC	ВҮ	in the presence of :

2.

EMD RECEIPT

Name of Work: - Renovation of hall in the Shivalik Hostel for Yoga cum Meditation Centre at Punjab Engineering College, Sector-12, Chandigarh

Tender No.: <u>PEC/EO/2023/13</u>

Last date of submission of tender: 05.06.2023 upto 12:00 p.m.

Amount of EMD: 40,543/-

D.D./ FDR No. _____, dated _____ amount _____

Name of Firm:

Contact No.

$\underline{SECTION - V}$

Schedule of Quantities

Renovation of Hall in Shivalik Hostel for Yoga Center at Punjab Engineering College, Sector-12, Chandigarh.

					EMD:-40,543/-
SLNo	Description	Qty	Unit	Rate	Amount
	Excavation work by mechanical means (Hydraulic excavator)/				
	manual means in foundation trenches or drains (not exceeding				
	1.5m in width or 10 sqm on plan), including dressing of sides and				
	ramming of bottoms, lift upto 1.5 m, including getting out the				
	excavated soil and disposal of surplus excavated soils as directed,				
1	within a lead of 50 m.				
2	Ordinary rock	87.92	cum	523.50	46026.12
_	Providing and laying in position cement concrete of specified				
	grade excluding the cost of centering and shuttering - All work up				
3	to plinth level :				
-	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural				
	sources : 4 graded stone aggregate 20 mm nominal size derived				
4	from natural sources)	8.89	cum	7365.15	65476.18
	1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural				
	sources : 10 graded stone aggregate 40 mm nominal size derived				
5	from natural sources)	12.96	cum	6050.65	78416.42
0	Reinforced cement concrete work in beams, suspended floors,		oum	0000.00	10110112
	roofs having slope up to 15° landings, balconies, shelves, chajjas,				
	lintels, bands, plain window sills, staircases and spiral stair cases				
	above plinth level up to floor five level, excluding the cost of				
	centering, shuttering, finishing and reinforcement with 1:1.5:3 (1				
	cement : 1.5 coarse sand(zone-III) derived from natural sources : 3				
6	graded stone aggregate 20 mm nominal size derived from natural	2	cum	10719.30	21438.60
0	sources). Centering and shuttering including strutting, propping etc. and		cum	107 19.50	21430.00
7	removal of form for				
1	Suspended floors, roofs, landings, balconies and access platform				
0	Suspended hoors, roors, landings, balcomes and access platform	11.2		766 55	10061 67
8	Staal rainformant for D.C. work including straightaning	14.3	sqm	766.55	10961.67
	Steel reinforcement for R.C.C. work including straightening,				
0	cutting, bending, placing in position and binding all complete				
9	above plinth level.	250	l.e.	00.05	04077.50
10	Cold twisted bars	350	kg	89.65	31377.50
	Brick work with common burnt clay F.P.S. (non modular) bricks of				
11	class designation 7.5 in foundation and plinth in:	1.0		0050.05	07004.05
12	Cement mortar 1:6 (1 cement : 6 coarse sand)	4.2	cum	6658.25	27964.65
	Brick work with common burnt clay F.P.S. (non modular) bricks of				
40	class designation 7.5 in superstructure above plinth level up to				
13	floor V level in all shapes and sizes in :	5 50		0000.05	45754.00
14	Cement mortar 1:6 (1 cement : 6 coarse sand)	5.52	cum	8288.35	45751.69
	Half brick masonry with common burnt clay F.P.S. (non modular)				
	bricks of class designation 7.5 in superstructure above plinth level				
15	up to floor V level.				
16	Cement mortar 1:4 (1 cement :4 coarse sand)	10.21	sqm	1018.05	10394.29
	Providing wood work in frames of doors, windows, clerestory				
	windows and other frames, wrought framed and fixed in position				
	with hold fast lugs or with dash fasteners of required dia & length				
	(hold fast lugs or dash fastener shall be paid for separately).				
17					
18	Kiln seasoned and chemically treated hollock wood	0.28	cum	74199.70	20775.92
	Providing and fixing glazed shutters for doors, windows and				
	clerestory windows using 4 mm thick float glass panes, (weight not				
	less than 10 kg per sqm) fixing with ISI marked M.S. pressed butt				
	hinges bright finished of required size with necessary screws.				
19					
20	Kiln seasoned and chemically treated hollock wood				
21	35 mm thick	3.57	sqm	3100.55	11068.96
	Providing and fixing ISI marked flush door shutters conforming to				
	IS : 2202 (Part I) decorative type, core of block board construction				
	with frame of 1st class hard wood and well matched teak 3 ply				
	veneering with vertical grains or cross bands and face veneers on				
22	both faces of shutters.				
-	35 mm thick including ISI marked Stainless Steel butt hinges with			1	

	Extra for providing lipping with 2nd class teak wood battens 25 mm				
24	minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).	3.57	cam	401.40	1422.00
24	Providing and fixing wire gauge shutters using galvanized M.S.	3.57	sqm	401.40	1433.00
	wire gauge of average width of aperture 1.4 mm in both directions				
	with wire of dia 0.63 mm, for doors, windows and clerestory				
25	windows with hinges and necessary screws :				
26	35 mm thick shutters				
27	With ISI marked stainless steel butt hinges of required size				
28	Kiln seasoned and chemically treated hollock wood	3.57	sqm	3287.30	11735.66
	Providing and fixing wooden moulded beading to door and window				
	frames with iron screws, plugs and priming coat on unexposed				
29	surface etc. complete :				
30	2nd class teak wood				
31	50 x 20 mm	91.66	metre	239.20	21925.07
	Providing and fixing M.S. grills of required pattern in frames of				
	windows etc. with M.S. flats, square or round bars etc. including				
	priming coat with approved steel primer all complete.				
32					
	Fixed to openings /wooden frames with rawl plugs screws etc.				
33		150	kg	197.70	29655.00
	Providing and fixing aluminium die cast body tubular type universal				
	hydraulic door closer (having brand logo with ISI, IS : 3564,				
	embossed on the body, door weight upto 35 kg and door width				
	upto 700 mm), with necessary accessories and screws etc.				
34	complete.	3	each	1025.65	3076.95
	Providing and fixing aluminium sliding door bolts, ISI marked				
	anodised (anodic coating not less than grade AC 10 as per IS :				
	1868), transparent or dyed to required colour or shade, with nuts				
35	and screws etc. complete :				
36	250x16 mm	1	each	234.90	234.90
	Providing and fixing aluminium tower bolts, ISI marked, anodised				
	(anodic coating not less than grade AC 10 as per IS : 1868)				
	transparent or dyed to required colour or shade, with necessary				
37	screws etc. complete :				
38	150x10 mm	20	each	75.55	1511.00
	Providing and fixing aluminium handles, ISI marked, anodised				
	(anodic coating not less than grade AC 10 as per IS : 1868)				
	transparent or dyed to required colour or shade, with necessary				
39	screws etc. complete :		<u> </u>		
40	125 mm	12	each	60.05	720.60
	Providing and fixing aluminium hanging floor door stopper, ISI				
	marked, anodised (anodic coating not less than grade AC 10 as				
	per IS : 1868) transparent or dyed to required colour and shade,				
41	with necessary screws etc. complete.	0		00.05	070.50
42	Twin rubber stopper	6	each	62.25	373.50
	Providing and fixing aluminium casement stays, ISI marked,				
	anodised (anodic coating not less than grade AC 10 as per IS :				
10	1868) transparent or dyed to required colour and shade, with			04.55	007.00
43	necessary screws etc. complete.	6	each	64.55	387.30
	Providing and fixing bright finished brass 100 mm mortice latch				
	and lock, ISI marked, with six levers and a pair of anodised				
	(anodic coating not less than grade AC 10 as per IS : 1868)				
4.4	aluminium lever handles of approved quality with necessary	~	00-h	700.00	1 470 00
44	screws etc. complete.	2	each	739.80	1479.60
	Steel work in built up tubular (round, square or rectangular hollow				
	tubes etc.) trusses etc., including cutting, hoisting, fixing in position				
	and applying a priming coat of approved steel primer, including				
4-	welding and bolted with special shaped washers etc. complete.				
45	List finished welded time tubes	440	1	154.00	47040.00
46	Hot finished welded type tubes	112	kg	154.90	17348.80

	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of				
	absorption less than 0.08% and conforming to IS:15622, of				
	lapproved brand & manufacturer in all colours and chade laid on				
	approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing				
	with grey cement slurry @3.3 kg/sqm including grouting the joints				
	with white cement and matching pigments etc. The tiles must be				
	cut with the zero chipping diamond cutter only . Laying of tiles will				
	be done with the notch trowel, plier, wedge, clips of required				
	thickness, leveling system and rubber mallet for placing the tiles				
47	gently and easily.				
48	Glazed vitrified floor tiles polished finish of size				
49	Size of Tile 600 x 1200 mm	52.67	sqm	1612.75	84943.54
50	Size of Tile 800 x 1200 mm	164.48	sqm	1859.60	305867.01
51	Glazed Vitrified tiles Matt/Antiskid finish of size				
52	Size of Tile 600 x 600 mm	13	sqm	1311.05	17043.65
	Providing and fixing false ceiling at all height including providing				
	and fixing of frame work made of special sections, power pressed				
	from M.S. sheets and galvanized with zinc coating of 120 gms/sqm				
	(both side inclusive) as per IS : 277 and consisting of angle cleats				
	of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and				
	37mm, at 1200 mm centre to centre, one flange fixed to the ceiling				
	with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts,				
	other flange of cleat fixed to the angle hangers of 25x10x0.50 mm				
	of required length with nuts & bolts of required size and other end				
	of angle hanger fixed with intermediate G.I. channels 45x15x0.9				
	mm running at the spacing of 1200 mm centre to centre, to which				
	the ceiling section 0.5 mm thick bottom wedge of 80 mm with				
	tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm				
	centre to centre, shall be fixed in a direction perpendicular to G.I.				
	intermediate channel with connecting clips made out of 2.64 mm				
	dia x 230 mm long G.I. wire at every junction, including fixing				
	perimeter channels 0.5 mm thick 27 mm high having flanges of 20				
	mm and 30 mm long, the perimeter of ceiling fixed to wall/partition				
	with the help of rawl plugs at 450 mm centre, with 25mm long dry				
	wall screws @ 230 mm interval, including fixing of gypsum board				
	to ceiling section and perimeter channel with the help of dry wall				
	screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and				
	finishing to a flush finish of tapered and square edges of the board				
	with recommended jointing compound , jointing tapes , finishing				
	with jointing compound in 3 layers covering upto 150 mm on both				
50	sides of joint and two coats of primer suitable for board, all as per				
53	manufacturer's specification and also including the cost of making			<u> </u>	
E 4	12.5 mm thick tapered edge gypsum plain board conforming to IS:	00.07		4445.05	400404.40
54 55	2095- (Part I) :2011 (Board with BIS certification marks)	89.97	sqm	1145.95	103101.12
56	12 mm cement plaster of mix :	167		204.25	49156.45
50	1:6 (1 cement: 6 coarse sand) Providing and applying plaster of paris putty of 2 mm thickness	107	sqm	294.35	49150.45
57	over plastered surface to prepare the surface even and smooth complete.	180	cam	214.30	38574.00
51	Applying one coat of water thinnable cement primer of approved	100	sqm	214.30	30374.00
58	brand and manufacture on wall surface :				
59	Water thinnable cement primer	286	sqm	64.45	18432.70
00	Finishing walls with 100% Premium acrylic emulsion paint having	200	oqni	01.10	10102.10
	VOC less than 50 gm/litre and UV resistance as per IS				
	15489:2004, Alkali & fungal resistance, dirt resistance exterior				
	paint of required shade (Company Depot Tinted) with silicon				
60	additives.				
	New work (Two or more coats applied @ 1.43 litre/ 10 sqm. Over			<u> </u> †	
	and including priming coat of exterior primer applied @ 0.90				
61	litre/10 sqm.	39.01	sqm	154.45	6025.09
	Wall painting with acrylic emulsion paint of approved brand and				
62	manufacture to give an even shade :				
63	Two or more coats on new work	286	sqm	137.85	39425.10
	Painting with synthetic enamel paint of approved brand and				
	manufacture to give an even shade :				
64	<u> </u>			101.15	6046 70
64 65	Two or more coats on new work	46	sqm	131.45	6046.70
	Two or more coats on new work Wall painting with plastic emulsion paint of approved brand and	46	sqm	131.45	6046.70
		46	sqm	131.45	6046.70

	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-				
68	charge. Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable	0.98	cum	2928.10	2869.54
69	material within 50 metres lead as per direction of Engineer-in- charge.				
70	In cement mortar	8.3	cum	1698.45	14097.14
	Dismantling doors, windows and clerestory windows (steel or				
	wood) shutter including chowkhats, architrave, holdfasts etc.				
71	complete and stacking within 50 metres lead :				
72	Of area beyond 3 sq. metres	6.12	each	414.55	2537.05
	Dismantling stone slab flooring laid in cement mortar including				
73	stacking of serviceable material and disposal of unserviceable	22.45	sam	219.75	4933.39
75	material within 50 metres lead. Dismantling of R.C.C. spun vent shaft including excavating the	22.43	sqm	219.75	4900.09
	cement concrete pit completely, taking out the shaft, refilling the excavated gap, stacking the useful materials near the site and disposal of unserviceable materials within 50 metres lead.				
74		1.4	each	3817.90	5345.06
	Dismantling old plaster or skirting raking out joints and cleaning the				
	surface for plaster including disposal of rubbish to the dumping				
75	ground within 50 metres lead.	143.99	sqm	45.05	6486.75
76	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	60	cum	219.35	13161.00
70	Providing and laying at or near ground level factory made kerb	00	cum	219.55	13101.00
	line, leveland curvature, jointed with cement mortar 1:3 (1 cement: 3 coarsesand), including making joints with or without grooves (thickness ofjoints except at sharp curve shall not to more than 5mm), includingmaking drainage opening wherever required complete etc. as perdirection of Engineer-in-charge (length of finished kerb edging shallbe measured for payment). (Precast C.C. kerb stone shall be approvedby Engineer-in-charge).				
77	Reference and be approved by Engineer in charge).	2.19	cum	8613.55	18863.67
78	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
79	For fixed portion				
-	Powder coated aluminium (minimum thickness of powder coating				
80	50 micron)	195	kg	466.30	90928.50
	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
81					
82	Powder coated aluminium (minimum thickness of powder coating 50 micron)	125	kg	564.80	70600.00
83	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.				

84	Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side	5.57	sqm	965.10	5375.61
04	Providing and fixing glazing in aluminium door, window, ventilator	5.57	Sqiii	905.10	5575.01
	shutters and partitions etc. with EPDM rubber / neoprene gasket				
	etc. complete as per the architectural drawings and the directions				
	of engineer-in-charge . (Cost of aluminium snap beading shall be				
85	paid in basic item):				
~~	With float glass panes of 5 mm thickness (weight not less than	- 4 - 20		1005 55	70040.00
86	12.50 kg/sqm)	54.78	sqm	1325.55	72613.63
	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having				
	brand logo embossed on the body / plate with double spring				
	mechanism and door weight upto 125 kg, for doors, including cost				
	of cutting floors, embedding in floors as required and making good				
	the same matching to the existing floor finishing and cover plates				
	with brass pivot and single piece M.S. sheet outer box with slide				
	plate etc. complete as per the direction of Engineer-in-charge.				
87					
88	With stainless steel cover plate minimum 1.25 mm thickness	4	each	2448.85	9795.40
	Providing and fixing Brass 100mm mortice latch and lock with 6				
	levers without pair of handles (best make of approved quality) for				
89	aluminium doors including necessary cutting and making good etc. complete.	2	oach	449.55	800 10
09	Providing and fixing aluminium round shape handle of outer dia	2	each	449.55	899.10
	100 mm with SS screws etc. complete as per direction of Engineer				
90	in-charge				
91	Powder coated minimum thickness 50 micron aluminium	8	each	89.60	716.80
	Providing and fixing false ceiling at all heights with integral				
	densified calcium silicate reinforced with fibre and natural filler				
	false ceiling tiles of Size 595x595 mm of approved texture, design				
	and patterns having NRC (Noise Reduction coefficient) of 0.50				
	(minimum) as per IS 8225:1987, Light reflectance of 85%				
	(minimum). Non combustible as per BS:476 (part-4), fire				
	performance as per BS:476 (part 6 &7), humidity resistance of				
	100%, thermal conductivity < 0.043 W/m K as per ASTM				
	518:1991, in true horizontal level suspended on inter- locking				
	metal powder coated T-Grid of hot dipped galvanised iron section				
	of 0.40 mm thick on Silhouette profile, rotary stiched double webbed white with 6mm reveal profile (white/black), comprising of				
	main-T runners of size 15x42mm of length 3000 mm, cross - T of				
	size 15x42 mm of length 1200 mm and secondary intermediate				
	cross- T of size $15x42$ mm of length 600mm to form grid module				
	of size 600 x 600 mm, suspended from ceiling using galvanised				
	mild steel items (galvanizing @ 80 grams per sqm) i.e. 50 mm				
	long, 8 mm outer diameter M-6 dash fasteners, 6 mm dia fully				
	threaded hanger rod upto 1000 mm length and L-shape level				
	adjuster of size 85x25x2 mm. Galvanised iron perimeter wall angle				
	of size 22x19x0.40 mm of length 3000 mm to be fixed on periphery				
	wall / partition with the help of plastic rawl plugs at 450 mm center				
	to center and 40mm long dry wall S.S screws. The work shall be				
	carried out as per specifications, drawing and as per directions of				
	the Engineer-in-Charge.				
92					
	With 15 mm thick integral densified micro edge light weight				
93	calcium silicate false ceiling tiles	119	sqm	2055.65	244622.35
	Providing and laying 60mm thick factory made cement concrete				
	paver block of approved shape and colour of M -30 grade made of				
	C&D waste by block making machine with vibratory compaction				
	laid in required pattern and including over 50mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete				
	as per the direction of Engineer-in-charge.				
94		110	sqm	757.00	83270.00
	Providing and fixing of polycarbonate sheet 2mm hack on MS		1		
95	structure complete in all respect including self provision	21.45	sqm	1900.00	40755.00
	Aluminium handle	8	no	300.00	2400.00
				000.00	

	Earth work in excavation by mechanical means (Hydraulic excavator) /				
	manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of				
	bottoms, lift upto 1.5 m, including getting out the excavated soil and				
	disposal of surplus excavated soil as directed, within a lead of 50 m.				
98	······································				
99	All kinds of Soil.	0.42	cum	286.85	120.48
	Excavating trenches of required width for pipes, cables, etc including				
	excavation for sockets, and dressing of sides, ramming of bottoms,				
	depth upto 1.5 m, including getting out the excavated soil, and then				
	returning the soil as required, in layers not exceeding 20 cm in depth,				
	including consolidating each deposited layer by ramming, watering, etc.				
100	and disposing of surplus excavated soil as directed, within a lead of 50 m.				
100	All kinds of soil				
102	Pipes, cables etc, not exceeding 80 mm dia.	10.00	meter	255.55	2555.50
102	Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia	10.00	motor	200.00	2000.00
103	1,	8.00	meter	417.35	3338.80
	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1				
	metre long with S.S. triangular plate to Eureopean type W.C. of quality				
104	and make as approved by Engineer - in - charge.	2	each	299.35	598.70
	Providing and fixing P.V.C. waste pipe for sink or wash basin including				
105	P.V.C. waste fittings complete.				
106	Semi rigid pipe				
107	32 mm dia	2	each	90.95	181.90
108	Providing and fixing soil, waste and vent pipes :				
109	100 mm dia				
110	Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	10.00	motor	1077 40	47000 40
110 111	75mm diameter	16.00	meter	1077.40	17238.40
112	Centrifugally cast (spun) iron socketed pipe as per IS: 3989	12.00	meter	1042.10	12505.20
112	Providing and fixing collar :	12.00	meter	1042.10	12303.20
114	100 mm				
115	Sand cast iron S&S pipe as per IS: 3989	10	each	439.75	4397.50
116	75 mm	10	Cach	400.70	4007.00
117	Sand cast iron S&S pipe as per IS: 3989	8	each	271.45	2171.60
	Providing lead caulked joints to sand cast iron/centrifugally cast (spun)	0	ouon	211110	2111.00
118	iron pipes and fittings of diameter :				
119	100 mm	8	each	549.65	4397.20
120	75 mm	10	each	466.40	4664.00
	Providing and fixing trap of self cleansing design with screwed down or				
	hinged grating with or without vent arm complete, including cost of				
121	cutting and making good the walls and floors				
122	100 mm inlet and 75 mm outlet				
123	Sand Cast Iron S&S as per IS- 3989	4	each	1671	6684.00
404	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps,				
124					
105	including cutting chases and making good the walls etc.	15.00	motor	272.25	E600.2E
125	20 mm dia nominal bore	15.00	meter	373.35	5600.25
125	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c	15.00	meter	373.35	5600.25
125	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with	15.00	meter	373.35	5600.25
	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c	15.00	meter	373.35	5600.25
125 126 127	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall:				
<u>126</u> 127	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore	15.00	meter	485.20	7278.00
126	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore				7278.00
<u>126</u> 127	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore	15.00	meter	485.20	7278.00
126 127 128	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved 	15.00	meter	485.20	7278.00 8116.50
126 127 128 129 130	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low 	15.00 15.00	meter meter	485.20 541.10	7278.00 8116.50
126 127 128 129 130 131	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 	<u>15.00</u> 15.00 4	meter meter each	485.20 541.10 461.75	7278.00 8116.50 1847.00
126 127 128 129 130	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore	15.00 15.00	meter meter	485.20 541.10	7278.00 8116.50 1847.00
126 127 128 129 130 131 132	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 	<u>15.00</u> 15.00 4	meter meter each	485.20 541.10 461.75	7278.00 8116.50
126 127 128 129 130 131 132 133	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 	<u>15.00</u> 15.00 4	meter meter each	485.20 541.10 461.75	7278.00 8116.50 1847.00
126 127 128 129 130 131 132 133 134	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 	15.00 15.00 4 2	meter meter each each	485.20 541.10 461.75 397.45	7278.00 8116.50 1847.00 794.90
126 127 128 129 130 131 132 133	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore	<u>15.00</u> 15.00 4	meter meter each	485.20 541.10 461.75	7278.00 8116.50 1847.00
126 127 128 129 130 131 132 133 134	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore Providing and fixing G.I. Union in G.I. pipe including cutting and 	15.00 15.00 4 2	meter meter each each	485.20 541.10 461.75 397.45	7278.00 8116.50 1847.00 794.90
126 127 128 129 130 131 132 133 134 135	20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore	15.00 15.00 4 2	meter meter each each	485.20 541.10 461.75 397.45	7278.00 8116.50 1847.00 794.90
126 127 128 129 130 131 132 133 134 135 136	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : 	15.00 15.00 4 2 2	meter meter each each each	485.20 541.10 461.75 397.45 85.20	7278.00 8116.50 1847.00 794.90 170.40
126 127 128 129 130 131 132 133 134 135	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : 20 mm dia nominal bore 	15.00 15.00 4 2	meter meter each each	485.20 541.10 461.75 397.45	7278.00 8116.50 1847.00 794.90 170.40
126 127 128 129 130 131 132 133 134 135 136	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : 	15.00 15.00 4 2 2	meter meter each each each	485.20 541.10 461.75 397.45 85.20	7278.00 8116.50 1847.00 794.90 170.40
126 127 128 129 130 131 132 133 134 135 136	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : 20 mm dia nominal bore 	15.00 15.00 4 2 2	meter meter each each each	485.20 541.10 461.75 397.45 85.20	7278.00 8116.50 1847.00 794.90 170.40
126 127 128 129 130 131 132 133 134 135 136	 20 mm dia nominal bore Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe including painting with anticorrosive bitumastic paint, cutting chases and making good the wall: 15 mm dia nominal bore 20 mm dia nominal bore Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 20 dia nominal bore Providing & fixing of ball valve (brass) of approved quality High or low Pressure, with plastic floats complete; 20mm dia nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : 20 mm dia nominal bore Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : 20 mm dia nominal bore 	15.00 15.00 4 2 2	meter meter each each each	485.20 541.10 461.75 397.45 85.20	

139	Providing and fixing C.P. Brass extension nipple (size 15mm x 50mm) of approved make and quality as per direction of Engineer-in-charge.	8	each	61.70	493.60
	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less			01.10	400.00
	than 4.50 kg and frame to be not less than 2.70 kg as per standard				
140	design:				
141	100x100mm size P Type With common burnt clay F.P.S. (non modular) bricks of class				
142	designation 7.5	2	each	2453.55	4907.10
	Providing and fixing of chinaware Two piece Wall Hung EWCs Size 655				
	x 365 x 755 mm with seat cover and twin flush fittings complete in all				
143	respect make as approved by EIC Jaquar (Continental) /Cera (CAMPBELL) / Hindware (Element)	2	each	15000	30000.00
140	Providing and fixing C.P. angle valve with wall flange complete in all		Cacil	10000	30000.00
	respect make as approved by EIC Jaquar (Continental) /Cera (Ocean) /				
144	Hindware (Element)	8	each	1164	9312.00
	Providing and fixing C.P Bib Cock with wall flange complete in all respect make as approved by EIC Jaquar (Continental) /Cera (Ocean) /				
145	Hindware (Element)	2	each	1228	2456.00
110	Providing and fixing Central Hole Basin Mixer without Popup Waste		ouon	1220	2100.00
	System with 450mm Long Braided Hoses complete in all respect make				
4.40	as approved by EIC Jaquar (Continental) /Cera (Ocean) / Hindware			1001	0040.00
146	(Element) Providing and fixing of looking glass with PVC or wooden beading with	2	each	4021	8042.00
	screw/nut dip/plug complete in all respect make as approved by EIC				
147	Atul, Modi Guard, Saint Gobain	0.93	sqm	1804	1677.72
	Providing and fixing of C.P. towel ring complete in all respect make as				
148	approved by EIC Jaquar (Continental) /Cera (F5002105) / Hindware (F450023)		ooob	1047	2004.00
140	Providing and fixing of C.P. Towel Rail 600 mm complete in all respect	2	each	1047	2094.00
	make as approved by EIC Jaquar (Continental) /Cera (F5003103) /				
149	Hindware (F450024)	2	each	1280	2560.00
	Providing and fixing CP Brass soap dish complete in all respect make as				
150	approved by EIC Jaquar (Continental) /Cera (F5007106) / Hindware (F450022)	2	each	740	1480.00
100	Providing and fixing of Wall hung wash basin with full pedestal complete		cuon	740	1400.00
	with C.I./MS brackets 32mm C.P. brass waste as per standard pattern				
	including cutting and painting of brackets and making good the walls				
	complete in all respect make as approved by EIC Jaquar (Continental) /Cera (CONCORD) / Hindware (ATHEMS)				
151		2	each	6760	13520.00
	Providing and fixing of GI Tank Nipple of size 20 mm dia of approved				
152	make SVW, AVR, NVR, UNIK.	4	each	152	608.00
	Providing and fixing CP Bottle Trap (with internal partition) 32mm size with wall connecton pipe & wall Flange complete in all respect as per				
153	Makes approved by EIC.	2	no's	1550	3100.00
	Providing & fixing Hand Shower (Health Faucet) (ABS Body) with 1				
454	Meter Long Easy Flex Tube in Chr ome Finish & Wall Hook complete			1000	1000.00
154	complete in all respect make as approved by EIC. Providing and fixing Regular body of concealed stop cock suitable for	1	no's	1390	1390.00
	15mm pipe line with protection cap with exposed parts complete in all				
155	respect make as approved by EIC.	2	no's	1110	2220.00
	Providing and fixing Vitreous chinaware Urinal complete n all respect				
156 157	Providing and fixing urinal Flush Valve	1	no's no's	5500 3500	5500.00 3500.00
157	Constructing brick masonry chamber for underground C.I.	1	110.5	3300	3500.00
	inspection chamber and bends with bricks in cement mortar 1:4				
	C.I. cover with frame (light duty) 455 x 610 mm internal				
	dimensions, total weight of cover with frame to be not less than 38				
	kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top				
	slab with 1:1.5:3 mix, foundation concrete 1:5:10), inside				
	plastering 12 mm thick with cement mortar 1:3 (1 cement : 3				
	Icoarse sand) finished smooth with a floating coat of neat coment				
	coarse sand), finished smooth with a floating coat of neat cement				
	coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design:				
158	on walls and bed concrete etc. complete as per standard design:				
	on walls and bed concrete etc. complete as per standard design: Inside dimensions 600x 850 mm and 45 cm deep for pipe line with				
<u>158</u> 159	on walls and bed concrete etc. complete as per standard design: Inside dimensions 600x 850 mm and 45 cm deep for pipe line with three or more inlets :				
	on walls and bed concrete etc. complete as per standard design: Inside dimensions 600x 850 mm and 45 cm deep for pipe line with		no's	8613.2	8613.20

	Conditions
1	All items provided in the schedule are subject to notes provided in DSR 2021.
	No Claim will be entertained from the contractor in case of mistake in description, rates units taken by the department in the schedule of quantity & price bid during preparation on account of typing, that of comparison or over sighting, if there will be any mistake that will be rectified at any stage as per DSR 2021 by the Engineer-in- charge.
2	
3	The quantity given against each item in the schedule can be increased or decreased by the Engineer- in-charge at any time, no objection of any claim from the contractor will be entrained on this account.
4	Although various makes has been mentioned against each items for inviting the healthy competition. But material selection i.e. makes of the material to be installed will be decided by the department and agency has to bring the same at site. Therefore agencies are requested to quote the rate accordingly and further it is made clear that no financial deviation/ benefit will be entertained by the department on the basis of the material brought at site as per direction of department later
	Before the start of work, the agency has to bring samples of all the material of the approved make to be used at site and get it approved from the E.I.C. Only approved material and make will be allowed to be used at site.
5	
6	The contractor will be responsible for the damage caused to the cable of P & T or any other agency cables during the execution of work. He should inviolably informed to authority incharged of cables in writing prior to taking excavation works failing which the debit raised by the P & T/ other agency /Department for such damage caused by the contractor will be recoverable from him.
7	That the contractor shall comply with the provision of the contract Labor (Regulation & Abolition) Act, 1970 and the rules made there under as extended by the contract Labor (Regulation & Abolition) Rules. 1974.
8	The conditional tender or tender without Earnest Money shall be rejected at any stage.
9	The work will execute as per CPWD specification & relevant code.
10	The income Tax shall be deducted as per income tax department, or any other statuary taxes will also be deducted from the contractor's bill.
11	The Rate shall be inclusive of all taxes & duties and other statuary taxes which will be deducted from contractor's bills.
12	The water charges will be deducted as per M.C. Water bye-laws – 2011
13	Any material of the approved make if not available / manufacture then equivalent specification material of any other make may be allowed subject to approval of EIC.
14	The firm shall quote the rates inclusive all the taxes/ GST whatever required and no extra payment shall be made in this respect.
15	The Rate shall be inclusive of all taxes & duties and other statuary taxes which will be deducted from contractor's bills.
16	Any material of the approved make if not available / manufacture then equivalent specification material of any other make may be allowed subject to approval of EIC.

LIST OF PREFERRED MAKES FOR CIVIL/SANITARY WORKS

-1-

Sr. No.		Preferred make
1 (i)	Ordinary Portland/ Portland	ACC, L&T, Gujarat Ambuja, Birla, J.K.
	Pozzolona Cement (Grey) (43 Grade)	Lakshmi, Ultratec h
(ii)	White Cement	Birla White/ J.K. White
2	Steel/ Reinforcement Steels	SAIL, TISCO, RINL,
3		Novapan, Kitply, Anchore, Archidply, Greenply Centruy ISI Marked
4	Laminated Particle Board	Novapan, Kitply, National Archidply
5		Kutty Flushdoor, Kitply industries (Swastik), Jawala, Samrat Laminate Pvt. Ltd. (Samrat), CNC Commercial Ltd. (Shivalik), SR Jindal Ply Wood Industries (Prima), GEE Door (Century) Kandran
6	Steel Windows/ Pressed Steel	San Harvic, Steelman Industries PD
	frames	Industries, Metal windows, Chandani Industries, Ganapati Udyog (Rajpura), Singla steel processor (Barwala)
7	Water proofing compound	Forsoc, Cico, Pidilite, Sika, Asian
8	M.S. Pipe (ISI Marked)	Tata, Jindal (Hisar),
9	PVC/PPR pipe and fittings (ISI Marked)	Supreme, Finolex, prince, Diplast, Vectus Ashirwad, Kissan.
10	Acrylic Distemper	Asian paints, Nerolac, ICI Dulex
11	Synthetic Enamel Paint	ICI (Dulux Gloss), Nerolac, Asian Paint Premium Apcolite Gloss),
12	Steel Primer	ICI, Nerolac, Asian Paints,
13	Wood Primer	ICI, Nerolac, Berger, Asian Paints,
14	Ceramic glazed /Rectified Tiles	Kajaria, NITCO, RAK, Johnson
14	Dash/ Anchoring Fasteners	HILTI/Fischer
	Nuts/Bolts and Screws	GKW, Atul
16	Stainless Steel Sink (out of Salem	Neelkanth, Jayana, JAL, Cera
	Steel only)	
18	Stainless steel pipe 304 Grade	Jindal, Vega, J. Steel (ISI Marked)
19	Stainless steel OWC, EWC, washbasin	
20	Brass Ball valve with plastic float	Viking, KPR, ZOLOTO, ISI Marked

Sr. No	material	Preferred make
21	Admixture	
22		Fosroc, Sika, CICO, Asian
	2 Vitreous China ware items including seat cover	Cera, Parryware, Hindware, Jaquar, JAL
23	Cistern	Hindware, Cera, Prayag, Parrywave
24	C.P. Fitting (ISI marked)	
25		Jainko, Cera, Jal, ESSCO, Marc, Hindware, Excel, Player
26	i i i i i i i i i i i i i i i i	Jaquar, Mark, Hindware, Cera, Ess Ess, Jal
	Marked)	BIC, NECO, NIF, SKF, NIC, Adhunik
27	- m pipes (ISI Marked)	Jindal (Hissar), Tata.
28	(ISI Marked)	SVW, AVR, NVR, UNIK
29	Gun metal valves (ISI marked/Ball Valves)	Leader, Zoloto, Sant, Kartar
30		
31	Stoneware pipes and gully traps Mirror Glass	S.W. pipes ISI Marked
32		Atul, Modi Guard, Saint Gobain
	Vitrified tiles	Kajaria, NITCO, RAK, Johnson
33	Grouting compound	Endura, Pidilite
34	Pumps/Mono block pump/submersible motors	Kirloskar/ Worthington, Crompton, Seerax, KSB, Lubi, Grundfos
35	Cable (Submersible) (ISI Marked)	Finolex, BCH, L&T, Havells
36	Pressure Gauge	Flebig, H. Guru
37	C.I. valve (ISI marked)	Zoloto, Leader, Kartar, Bir, SIR
38	Electrical switch gear and accessories	Havells, Vag standard, L&T, Siemens, Schneider, BCH
30	PTMT fitting (ISI marked)	Paryag, Ashirwad
40	PVC tanks (ISI Marked)	Sintex, Vectus, Diplast, Ashirwad
41	PVC connections	Viking, JAL or equivalent
42	D.I. pipe fitting	AVK, VAG, SIR , Jindal (Saw), Electrosteel, Jai
		Balaji, Tata
43	D.I. pipe (ISI marked)	Jindal (Saw), Electrosteel, Jai Balaji, Tata
44	CPVC pipe (ISI marked)	Ajay, Astral, Aashirwad, Vectus
15	HPL Panel	Marino, Greenlam, Century.
16	Geyser	Jaquar, Racold, Bajaj, A O Smith, Havells
17	Water Purifier	Kent, Usha, Pure-it, Blue Star, Eureka-forbes
8	Water Cooler (ISI marked)	Sidwal, Blue Star, Voltas
8	Water Cooler (ISI marked)	Sidwal, Blue Star, Voltas

Sr. No.	Material	Preferred make
49	Voltage Stabilizer	Jewel,V-guard, Deol,
50	Manhole SFRC cover (ISI marked)	Venus, OCR, Cemo crete
51	CP waste/Grating	Jayna, Viking, ESSCO, CERA
52	PVC pipe for T/well (ISI marked)	Super, Supreme, Diplast, Finolex, Prince

C

Note:-

- 1) Makes of those Items which are not part of current tender may be ignored.
- 2) The firm shall install the equipment as per the make approved in BOQ. If the make not available in BOQ then the same will be provided as per make list attached in the DNIT after approval of competent authority. Out of the approved make list, the choice of make rests only with the EIC/Client Department.
- 3) In case make of any item is not mentioned in the BOQ and list of approved makes specified in the tender document, the EIC shall decide make for the same and his decision shall be final and binding.
- 4) ISI mark makes will be preferred.