Punjab Engineering College (Deemed to be University), Chandigarh Sector 12, Chandigarh 160012



E-tender document

For

Clean Room Furniture

At

Electronics and Communication Engineering Dept.

PUNJAB ENGINEERING COLLEGE (DEEMED TO BE UNIVERSITY), CHANDIGARH

| SECTION | DESCRIPTION | PAGE NO. |
|---------|--|-------------|
| I | INVITATION FOR E-TENDER | 3 |
| II | TERMS AND CONDITIONS OF CONTRACT | 5 |
| III | SCHEDULE OF REQUIREMENTS (TECHNICAL BID) | 9 |
| IV | PRICE SCHEDULE (FINANCIAL BID) | 13 |
| V | GENERAL TERMS AND CONDITIONS | 14 |

SECTION I: INVITATION FOR E - TENDER

FOR PURCHASE OF CLEAN ROOM FURNITURE

- 1. The Punjab Engineering College (Deemed to be University), Chandigarh invites e-bids from eligible bidders for supply of **Clean Room Furniture** as per Table-1
- 2. Interested eligible Bidders may obtain further information from ECE Dept., Punjab Engineering College (Deemed to be University), Sector 12, Chandigarh 160012, India.
- 3. The bidding document can be downloadable from institute website <u>http://www.pec.ac.in</u>.
- 4. All bids must be accompanied by an EMD as specified in the bid document and must be delivered to the office address mentioned below by the date and time indicated below.
- 5. Bids will be opened in the presence of Bidders' representatives who choose to attend on the specified date and time.

TABLE – 1

| S. | Name of the Equipment/Item | EMD | Performance Security |
|-----|----------------------------|-----------|-------------------------|
| No. | | (INR) | Deposit |
| 1 | Clean Room Furniture | 30,000.00 | @ 5% of the total value |
| | | | of the contract |

| | TABLE - 2 Time Sch | edule |
|------|--|---|
| Ι | Date of publication | TBD |
| Ι | Downloading of e-tender document | Start date: 11.12.2020 10.00 AM |
| | | End date: 31.12.2020 03.00 PM |
| III | Date of submission of e-tender | Start date: 11.12.2020 10.00 AM |
| | | End date: 31.12.2020 03.00 PM |
| IV | Physical submission of EMD and other | Start date: 11.12.2020 10.00 AM |
| | necessary pre-qualification documents | End date: 31.12.2020 03.00 PM |
| | (scanned copies) | |
| V | Opening of Technical Bid (online) | Date: 01.01.2021 11.00 AM |
| | | |
| VI | Opening of Financial Bid of only eligible | To be informed after checking eligibility |
| | technically qualified bidder as determined by the Committee. | of Bidders |
| VII | Place of opening of bids | Seminar Room |
| | | Dept. of Electronics and Comm. Engg. |
| | | Punjab Engineering College (Deemed to |
| | | be University), |
| | | Sector 12, Chandigarh 160012 |
| VIII | Address for communication | Head, |
| | | Dept. of Electronics and Comm. Engg. |
| | | Punjab Engineering College (Deemed to |
| | | be University), |
| | | Sector 12, Chandigarh 160012 |

Important Notes:

| I. | Bidders shall have to submit their bids on-line in Electronic Format with Digital |
|----|---|
| | Signatures. |

| | All terms and conditions, instructions to bidder regarding e-tendering process etc. |
|------|---|
| II. | may kindly be seen from the Detailed Notice Inviting Tender (DNIT) available on |
| | Chandigarh Administration website (http://etenders.chd.nic.in) or on the Punjab |
| | Engineering College (Deemed to be University) institute website (www.pec.ac.in). |
| | The bidder has to submit the original documents in physical form such as EMD, & |
| III. | affidavit of non being black listed on the date fixed for the same as above. The |
| | failure will entail summarily rejection of its tender. |
| | The undersigned reserves the rights to reject or accept any or all tenders without |
| IV. | assigning any reasons. |
| | |

Director,

Punjab Engineering College (Deemed to be University), Sector-12, Chandigarh

PUNJAB ENGINEERING COLLEGE (DEEMED TO BE UNIVERSITY), CHANDIGARH SECTION II TERMS AND CONDITIONS OF CONTRACT

- 1. Tenderers are advised to study all technical and commercial aspects, instructions, forms, terms and specifications carefully in the tender document. Failure to furnish all information required in the tender document or submission of a bid not substantially responsive to the tender document in every respect will be at the tenderers risk and may result in the rejection of the bid.
- 2. The tenderer should indicate specifically the Basic Price (inclusive of Taxes/Excise duty, other duties (if any)) and levies chargeable. No additional information will be entertained after due date.
- 3. The tenderers should give their quote in Indian currency only keeping in mind that our institute (i.e. Punjab Engineering College (Deemed to be University)) is exempted from the payment of custom and excise duty. Only custom & excise duty exemption certificate will be issued.
- 4. The Bidders shall have to submit their Bids online in Electronic Format with Digital Signatures. For participation in the e-tendering process, the Bidders need to register themselves on http://etenders.chd.nic.in/nicgep. On registration, they will be provided with a user ID and a system generated password enabling them to submit their Bids online using Digital System Certificates (DSC).
- 5. Tenders without digital signatures will not be accepted by the Electronic Tendering System. No Tender will be accepted in physical form and in case, it has been submitted in the physical form only, it shall be rejected out rightly.
- 6. Bids will be opened online as per time schedule mentioned in e-tender notice (SECTION I Table 2).
- 7. Before submission of online bids, bidders must ensure that self-attested scanned copies of all the necessary documents as mentioned in SECTION III "Technical Bid" and SECTION IV "Financial Bid" of this tender document have been uploaded with the bid, failing which their bids may be out-rightly rejected and will not be considered.
- 8. It is mandatory for all the bidders to upload all the documents mentioned under tender document.
- 9. Bidder is required to upload scanned copy of EMD as specified in the tender documents and send original alongwith the affidavit as mentioned in the point no-15 below 7 forwarding letter at Annexure 2.1 in envelope in the office of Head, Electronics and Communication Engineering Dept.
- 10. The details of EMD and tender cost specified in the tender documents should be the same as submitted online (scanned copies) otherwise tender will be rejected.
- 11. The conditional bids shall not be considered and may be rejected out rightly in very first instance.
- 12. The financial bids through e-tendering of only those bidders shall be opened who will qualify in the technical bid criteria.
- 13. The bidder must have an experience of providing similar equipments/items in Govt. Institutes/Departments/College/ research labs etc. in India having minimum order value of ₹15 Lakhs each in last three financial years i.e. 2017-18, 2018-19, and 2019-20. Proof of the same demonstrating order value along with satisfactory report shall be submitted.
- 14. The bidder should have minimum Annual turnover of ₹23.00 Lakh in each of last three financial years i.e. 2016-17, 2017-18 and 2018-19. Copies of Audited financial statements shall be submitted as proof.

- 15. Manufacture should have ISO or equivalent international standard certificate. Proof of the same shall be submitted.
- 16. An affidavit as per specimen enclosed as Annexure 2.2 of SECTION II should accompany the tender. The tenderer who has been black-listed or his/her tenders have ever been cancelled or any legal proceedings have ever been initiated/pending or any penalty has ever been levied on account of delay or non-completion of supply order by any State/UT/Central Government, his/her tender will be out rightly rejected. A scanned copy of affidavit shall be uploaded online and in physical form (in original) along with EMD & forwarding letter as mentioned in Annexure 2.1.
- 17. Downloading and submission of Tender will be done by E-tendering process through the online website of Chandigarh Administration <u>http://etenders.chd.nic.in/nicgep</u>.
- 18. EARNEST MONEY DEPOSIT (EMD): The Tender should be accompanied with Earnest Money as mentioned in the Table-1 of SECTION I to be paid in the shape of A/C payee demand draft/banker cheque/FDR/bank gurantee from any Commercial Bank in favor of Director, Punjab Engineering College (Deemed to be University) Chandigarh which shall be valid for 45 days beyond final bid validity period. No firm/tenderer will be exempted from submission of EMD. The EMD deposited by the tenderer in respect of another similar tender will not be considered against this tender. Apart from submission of EMD in physical form, scanned copy of EMD duly attested and countersigned by the firms shall also be uploaded. The EMD of unsuccessful tenders will be refunded immediately after finalization/allotment of tender. No interest will be payable on the EMD. The EMD will be forfeited, if the tenderer withdraws his/her bid after submission of the Tender. Bid without the EMD shall be rejected.
- 19. TECHNICAL BID: The tenderer should submit scanned copy of documentary proof of his/her eligibility as mentioned in SECTION III "Technical Bid" of this tender document.
- 20. Tender received through e-tendering shall be opened online by the committee duly constituted by the authorities of Punjab Engineering College (Deemed to be University), as per schedule given in Tender Notice in Table 2. In the event of date of opening of Tender being declared a holiday, the due date of opening of the Tender will be the next working day at the same hours.
- 21. Tender is nontransferable.
- 22. The bidder shall submit the hard copy of e-tender along with forwarding letter (Annexure 2.1 of SECTION II) duly signed by the authorized signatory.
- 23. Financial Bid will be opened of only those bidders who qualify in the technical bid criteria through e-tendering process.
- 24. FINANCIAL BID: The financial bid (SECTION IV) shall be quoted by the bidder through etendering. The financial bid should contain rates only. The rates should be mentioned both in figures as well as in words. Any change in rate quoted by the tenderer afterwards will entail forfeiture of earnest money deposit, cancellation of tender and blacklisting of the firm.
- 25. The bid should not contain corrections or over writing.
- 26. Performance Security Deposit: The successful tenderer will have to deposit performance security @5% of the total value of tender awarded (Table -1 of SECTION I) within 15 days of issuance of letter of intent by the competent authority to be paid in the shape of fixed deposit receipts or bank guarantee, from any scheduled bank in favour of Director, Punjab Engineering College (Deemed to be University) Chandigarh which shall remain valid for a period of 60 days beyond all contractual obligations including warranty period, if any. The security deposited in connection with any other similar tender will not be considered against this tender. Thereafter, the work order will be issued. If successful tenderer fails to submit the requisite performance security deposit within prescribed 15 days, earnest money deposit (EMD) deposited by the tenderer will be forfeited.
- 27. The Director, Punjab Engineering College (Deemed to be University) Chandigarh reserves the right to accept or reject any or all tenders without assigning any reason.

From

| | |
|------|------|
| | |
| | |

Subject: Submission of Tender for Purchase of Clean Room Furniture

Dear Sir,

With reference to your above-mentioned notice inviting tenders, I/We hereby offer to provide Purchase of **Clean Room Furniture** for **Punjab Engineering College (Deemed to be University)**, Chandigarh. I/We shall supply the Equipment's/item's truly and faithfully as set forth in the terms and conditions of the tender document. I/We shall be responsible for all complaints as regards to the quality of product and in case of any dispute; the decision of the Director, Punjab Engineering College (Deemed to be University), Chandigarh shall be final and binding on me/us.

| A FD | R No | Dated | drav | vn on | intended for |
|------|------------|--------|------|-------|------------------------------------|
| the | prescribed | amount | of | Rs. | (Rupees |
| | | | | | Only) in favor of Director, Punjab |

Engineering College (Deemed to be University), Chandigarh, payable at Chandigarh is enclosed as earnest money as desired.

I/WE shall have no claim to the refund of earnest money / performance security prescribed against this tender in the event of my/our non-compliance of the contract, provided such contract is implemented within the period of validity of my/our tender.

I/We further understand that my/our earnest money shall stand forfeited in case of unsatisfactory supply of equipment's/service/violation of any term, or if I/We withdraw my/our tender at any stage during the period of validity. My/Our tender shall remain valid for a period of 120 days from the last date prescribed for submission of the tender against the above-mentioned notice. My/Our tender along with terms and conditions with relevant columns and annexure duly filled in under my/our attestation and with each page of the tender paper including the enclosed terms and conditions signed by me/us (in the capacity of sole owner/general or special attorney attached) is submitted for your favorable consideration.

I/We have read the terms and conditions carefully and have signed the same in token of our absolute and unqualified acceptance.

Thanking you,

Yours faithfully,

Signatures Date with stamp & Full Address

Place

ANNEXURE - 2.2

(To be furnished on non-judicial stamp paper duly attested by the 1st Class Magistrate or Notary Public)

AFFIDAVIT

| I/We/ M/s | are | registered Cor | npany/I | _td |
|--|---------------------------|----------------|----------|-----|
| Company etc. as per Registration Certificat | No | | issu | ied |
| by having registered | ffice at | | | |
| | and manufactur | ring/supply | base | at |
| | o hereby declare and so | olemnly affirm | that I/V | Ne |
| have not been Black-listed, nor mine/our Tenders h | we ever been cancelled | by any State/U | JT/Cent | ral |
| Government or any partner or shareholder either | irectly or indirectly con | nnected with o | or has a | ny |
| subsisting interest in the business of my/our fi | n nor any legal proce | edings have | ever be | en |

subsisting interest in the business of my/our firm nor any legal proceedings have ever been initiated/pending or any penalty has ever been levied due to delay of non-completion of work/service/supply order by any State/UT/Central Government or by any authority.

| Place: | · |
|---------------|---|
| | |

DEPONENT

Dated :_____

Verification

I/We do hereby solemnly declare and affirm that the above declarations are true and correct to the best of my knowledge and beliefs. No part of it is false and nothing has been concealed therein.

Place :_____

DEPONENT

Dated :_____

PUNJAB ENGINEERING COLLEGE (DEEMED TO BE UNIVERSITY), CHANDIGARH

SECTION III "Technical Bid" SCHEDULE OF REQUIREMENTS

TABLE 3 SCHEDULE OF REQUIREMENT

| | Item | | Delivery Schedule | Bid Security (In Rupees) |
|---------|--|------|----------------------|-----------------------------------|
| Clean R | Room Furniture | | 60 Days | 30,000/- |
| S. No. | Items/Specifications | Qty. | | |
| 1 | Clean Room (CLASS 100/ 1000) compatible ESD Chair with | 06 | | |
| | Footring Height adjustable:505-700 (200 mm STR * Seat size : W x D 453 x 420mm * Material of seat : PU sponge upholstered with Clean room compatible leather * Back rest size : W x H 400 X 355mm * Material of back rest : PU Molded foam upholstered with Clean room compatible leather. * Cleanliness : conforms to class -100/ ISO -5 Cleanliness standard * Column : chrome plated safety gas spring * Certification : particle emission report for cleanliness by SGS IBR | | | |
| 2 | laboratories Clean Room (CLASS 100/ 1000) compatible non-ESD Chair | 06 | | |
| | with Footring Height adjustable-505-700 (200 mm STR) * Seat size : W x D 453 x 420mm * Material of seat: PU sponge upholstered with Clean room compatible leather. * Back rest size : W x H 400 X 355mm * Material of back rest : PU Molded foam upholstered with Clean room compatible leather * Cleanliness: conforms to class -100/ ISO-5 Cleanliness standard * Column : chrome plated safety gas spring * Certification : particle emission report for cleanliness by SGS IBR laboratories | | | |
| 3 | Clean Room (CLASS 100/ 1000) compatible ESD Stool with Footring Height adjustable-505-700 (200 mm STR) Seat size : diameter 382mm * Material of seat : PU sponge upholstered with Clean room compatible leather *Upholstery material specification : PUR upholstered with clean room class 100 vinyl: color – black * Height adjustment: able to adjust height between 550 to 700(200 mm str.) *Wheel : 5 movable dual wheels with Dia. 50 mm * Cleanliness: conforms to class -100/ ISO-5 Cleanliness standard * Test carried out according to ISO 14644-1-2 standards *Test report will be provided * Column : chrome plated safety gas spring * Certification: particles emission report for cleanliness by SGR IBR laboratories. Clean Room (CLASS 100/ 1000) compatible non-ESD Stool with | 02 | | |
| 4 | Clean Room (CLASS 100/ 1000) compatible non-ESD Stool with Footring Seat size : diameter 382mm | 06 | | |

| | | | 1 |
|---|--|----------|---|
| | * Material of seat : PU sponge upholstered with Clean room compatible | | |
| | leather | | |
| | *Upholstery material specification : PUR upholstered with | | |
| | Clean room class 100 vinyl: color – black | | |
| | * Height adjustment: able to adjust height between 550 to700(200 mm | | |
| | str.) | | |
| | *Wheel : 5 movable dual wheels with Dia. 50 mm | | |
| | * Cleanliness : conforms to class -100/ ISO -5 Cleanliness standard | | |
| | * Test carried out according to ISO 14644-1-2 standards | | |
| | *Test report will be provided | | |
| | * Column : chrome plated safety gas spring | | |
| | * Certification: particles emission report for cleanliness by SGR IBR | | |
| | laboratories | | |
| 5 | Clean Room Compatible SS-304 Anti Vibration Table Rubber Air | 02 | |
| | Spring Faebi Isolation Package | | |
| | L-600x W-600x H-750-900 mm | | |
| | Table load capacity - 500 kg (max.) | | |
| | Low-frequency Rubber Air Spring with manual Level adjustable | | |
| | damping for | | |
| | effective vibration insulation of sensitive measurement equipment. | | |
| | Top Granite Plate -600x600x150 mm | | |
| | This solution includes rubber air spring having natural frequency 6 to | | |
| | 8 Hz. This system does not require continuous air pressure. (Without | | |
| | Level controller) | | |
| | (One time air filling need to check air pressure periodically) | | |
| | Note: FAEBI must be having Natural Frequency of 6 to 8 Hz. | | |
| 6 | Clean Room compatible Eye Wash Wall Mount Stainless Steel | 01 | |
| Ū | Eye Wash Bowl Material :304 Stainless steel | 01 | |
| | Diameter of Eye Wash Bowl : 10" | | |
| | Height of Shower :1020 mm | | |
| | Flow rate Eye Wash :9-11 L/min | | |
| | Foot Operated :Yes | | |
| | Eyewash wall mount stainless steel | | |
| 7 | Clean Room Compatible SS-304 Table With SS-Top | 04 | |
| • | L= 1200mm, W=600mm, H=900 mm | <u> </u> | |
| | Two Drawers of 120 mm depth(appox) | | |
| | Worktop 1.2 m thick | | |
| | SS 304 matt finish | | |
| | SS 304 pipe 25x25x1.2 mm thick | | |
| | Hettich lock | | |
| | Hafele telescopic channel | | |
| | Height adjustable | | |
| | Anodized handle | | |
| | ISO 9001: 2000 certified | | |
| | QRO CERTIFIED | | |
| | TUV SUD CERTIFIED | | |
| 8 | Clean room compatible SS-304 TABLE WITH GRANITE TOP | 05 | |
| 0 | (BLACK) and TWO Drawers of 120m depth (appox.) | 0.5 | |
| | L= 1200 mm, W=600 mm, H=900 mm | | |
| | Worktop 18 mm thick natural black granite | | |
| | SS 304 pipe -25x25x1.2 mm thick | | |
| | | 1 | |
| | Hettich lock | | 1 |
| | Hettich lock | | |
| | Hafele telescopic channel | | |
| | Hafele telescopic channel Height adjustable | | |
| | Hafele telescopic channel Height adjustable Anodized handle | | |
| | Hafele telescopic channel Height adjustable Anodized handle ISO 9001: 2000 certified | | |
| | Hafele telescopic channel Height adjustable Anodized handle ISO 9001: 2000 certified QRO certified | | |
| | Hafele telescopic channel Height adjustable Anodized handle ISO 9001: 2000 certified QRO certified TUV SUD certified | 01 | |
| 9 | Hafele telescopic channel Height adjustable Anodized handle ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Open Shelves Rack | 01 | |
| 9 | Hafele telescopic channel Height adjustable Anodized handle ISO 9001: 2000 certified QRO certified TUV SUD certified | 01 | |

| | MOC- M S CRCA sheet makes with epoxy powder coating | | |
|----|---|-----|--|
| | Four Side Open | | |
| | Fixed Legs type | | |
| | ISO 9001: 2000 certified | | |
| | QRO certified | | |
| | TUV SUD certified | | |
| 10 | Clean Room Compatible SS 304 Trolley | 02 | |
| | with heavy duty nylon castor wheels | | |
| | Length = 900 mm Depth = 600 mm Height = 900 mm | | |
| | Four side open | | |
| | Three nos. SS tray 1.2 mm thick | | |
| | SS 304 pipe :25x25x1.2 mm thick | | |
| | 4 nos. Castor wheel | | |
| | ISO 9001: 2000 certified | | |
| | | | |
| | QRO certified | | |
| | TUV SUD certified | 0.4 | |
| 11 | Clean Room Compatible Powder Coated Covered With Sliding | 04 | |
| | Racks | | |
| | L=900 mm , W=500mm , H=900 mm | | |
| | 06 nos. Drawer | | |
| | 4 nos. of heavy duty nylon Castor wheel | | |
| | MOC- SS 304 sheet make with Matt finish | | |
| | ISO 9001: 2000 certified | | |
| | QRO certified | | |
| | TUV SUD certified | | |
| 12 | Clean Room Compatible Powder Coated Storage Cupboard with | 01 | |
| | Height 1500 mm | - | |
| | L=900 mm, W=600 mm, H=1500 mm | | |
| | Three nos. partition full door metallic construction locking facility. | | |
| | Doors M S CRCA sheet make with epoxy powder coating having | | |
| | locking arrangement system with Metallic / Glass front | | |
| | | | |
| | Shalwas MS CPCA sheat make with anowy nowder coating | | |
| | Shelves -M S CRCA sheet make with epoxy powder coating | | |
| | Quantity-4 no. | | |
| | Quantity-4 no. Cabinet Top M S CRCA sheet make with epoxy powder coating | | |
| | Quantity-4 no. Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified | | |
| | Quantity-4 no. Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified | | |
| | Quantity-4 no. Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified | | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard with | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mm | 01 | |
| 13 | Quantity-4 no. Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm , W=600 mm , H=1800 mm | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITION | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating having | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass front | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coating | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass front | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coating | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certified | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coating | 01 | |
| 13 | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certified | 01 | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees Cabinets | | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees CabinetsWith Stand | | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees CabinetsWith StandL=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm height | | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees CabinetsWith StandL=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm heightand then cabinet MOC-powder coated | | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees CabinetsWith StandL=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm heightand then cabinet MOC-powder coatedSHELVES- 6 No. | | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees CabinetsWith StandL=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm heightand then cabinet MOC-powder coatedSHELVES- 6 No.Doors M S CRCA sheet makes with epoxy powder coating having | | |
| | Quantity-4 no. Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm , W=600 mm , H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No. Doors M S CRCA sheet makes with epoxy powder coating having locking arrangement system with Metallic front and PVC HANDLE | | |
| | Quantity-4 no. Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified TUV SUD certified Clean Room Compatible Powder Coated Storage Cupboard with Height 1800 mm L=900 mm, W=600 mm, H=1800 mm FIVE NOS. PARTITION Doors M S CRCA sheet make with epoxy powder coating having locking arrangement system with Metallic / Glass front Shelves -M S CRCA sheet make with epoxy powder coating Cabinet Top M S CRCA sheet make with epoxy powder coating ISO 9001: 2000 certified QRO certified TUV SUD certified Clean Room Compatible Powder Coated Employees Cabinets With Stand L=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm height and then cabinet MOC-powder coated SHELVES- 6 No. Doors M S CRCA sheet makes with epoxy powder coating having locking arrangement system with Metallic front and PVC HANDLE Shelves -M S CRCA sheet make with epoxy powder coating | | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees CabinetsWith StandL=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm heightand then cabinet MOC-powder coatedSHELVES- 6 No.Doors M S CRCA sheet makes with epoxy powder coating havinglocking arrangement system with Metallic front and PVC HANDLEShelves -M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic front and PVC HANDLEShelves -M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic front and PVC HANDLEShelves -M S CRCA sheet make with epoxy powder coatingStand- powder coated . | | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees CabinetsWith StandL=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm heightand then cabinet MOC-powder coatedSHELVES- 6 No.Doors M S CRCA sheet makes with epoxy powder coating havinglocking arrangement system with Metallic front and PVC HANDLEShelves -M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic front and PVC HANDLEShelves -M S CRCA sheet make with epoxy powder coatingStand- powder coated .ISO 9001: 2000 certified | | |
| | Quantity-4 no.Cabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Storage Cupboard withHeight 1800 mmL=900 mm , W=600 mm , H=1800 mmFIVE NOS. PARTITIONDoors M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic / Glass frontShelves -M S CRCA sheet make with epoxy powder coatingCabinet Top M S CRCA sheet make with epoxy powder coatingISO 9001: 2000 certifiedQRO certifiedTUV SUD certifiedClean Room Compatible Powder Coated Employees CabinetsWith StandL=300 mm , W=400 mm , H= 1800 mm (open up to 500 mm heightand then cabinet MOC-powder coatedSHELVES- 6 No.Doors M S CRCA sheet makes with epoxy powder coating havinglocking arrangement system with Metallic front and PVC HANDLEShelves -M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic front and PVC HANDLEShelves -M S CRCA sheet make with epoxy powder coating havinglocking arrangement system with Metallic front and PVC HANDLEShelves -M S CRCA sheet make with epoxy powder coatingStand- powder coated . | | |

| 15 | Clean Room Compatible Powder Coated Employees Cabinets | 01 | |
|----|--|----|--|
| | With Lock | | |
| | L-900 mm , H-1800 mm , W –450 mm | | |
| | Employee cabinets having locking arrangement system. | | |
| | MOC- M S CRCA sheet makes with epoxy powder coating | | |
| | SHELVES-24 NO. | | |
| | ISO 9001: 2000 certified | | |
| | QRO certified | | |
| | TUV SUD certified | | |
| 16 | Clean Room Compatible Powder Coated Sample Storage Covered | 01 | |
| | With Sliding Drawers | | |
| | L-600 mm, , Height - 900 mm , W-450mm | | |
| | Height-6 inch of 12 drawers | | |
| | MOC-M S CRCA sheet makes with epoxy powder coating | | |
| | Sample storage covered with sliding 12 drawers having locking | | |
| | arrangement system and wheels. | | |
| | Hafele telescopic channel | | |
| | ISO 9001: 2000 certified | | |
| | QRO certified, TUV SUD certified | | |
| | Note: | | |
| | 1. Color of Furniture and design to be approved by PEC officials. | | |
| | 2. Clean Room Furniture should be made of non-shedding material that i | | |
| | to clean. | | |
| | 3. Clean Room furniture should be alcohol wiped, clean room bagged. | | |
| | 4. All clean room furniture should be post processed. | | |
| | 5. Bidder has to provide clean room compatible certificate for each iten | | |

Offer will be accepted/uploaded in two covers under Details containing:

FIRST COVER TITLED as "Technical Bid" should contain the Self-attested scanned copies of following with consecutive Sr. No. :-

- 6. Name of the firm/organization & address Contact person name and telephone/ Mob. No./Fax. No. / on letter pad of the company/firm.
- 7. Earnest money deposit as mentioned in Point 17 of SECTION II of this tender document.
- The bidder must have an experience of providing similar equipments/items in Govt. Institutes/Departments/College/ research labs etc. in India having minimum order value of ₹15 Lakhs each in last three financial years i.e. 2017-18, 2018-19, and 2019-20. Proof of the same demonstrating order value along with satisfactory report shall be submitted.
- 9. The bidder should have minimum Annual turnover of ₹23.00 Lakh in each of last three financial years i.e. 2016-17, 2017-18 and 2018-19. Copies of Audited financial statements shall be submitted as proof.
- 10. Self-attested copies of PAN/TAN Card/GST Registration no.
- 11. Certificate of acceptance of terms & condition mentioned in Section II and Section V of Tender Document.
- 12. Manufacturer authorization certificate.
- 13. Manufacture should have ISO or equivalent international standard certificate. Proof of the same shall be submitted.
- 14. Registration Certificate of the company/firm issued by the competent authority
- 15. Affidavit of not being Black Listed (Affidavit as per Annexure 2.2 of SECTION II)
- 16. The bidder should have a service support center in India.
- 17. Covering letter (Annexure 2.1 of SECTION II)
- 18. List of Users of said equipments/items.
- 19. Proof of supplying similar equipment/item in Govt. Institutes along with satisfactory performance.

NOTE: All the above mentioned documents should be duly in order and are essential to qualify at Technical Bid Stage.

PUNJAB ENGINEERING COLLEGE (DEEMED TO BE UNIVERSITY), CHANDIGARH

SECTION IV

FINANCIAL BID

SECOND COVER TITLED AS "FINANCIAL BID" CONSIST OF

Financial (Price) Bid for Purchase of **Clean Room Furniture** is to be submitted online in excel sheet provided.

Notes:

- 1. Rate should be quoted in Indian Rupees only inclusive of Taxes/Levies as per Indian law except custom duty/excise duty.
- 2. The Institute is registered with the Deptt. Of Scientific & Industrial Research(DSIR) for purpose of availing custom duty exemption in terms of Govt. Notification no. 51/96-Customs dated 23.07.1996 and Central Excise Duty Exemption in terms of Govt. notification no. 10/97- Central Excise dated 01-03-1997 as amended from time to time.

PUNJAB ENGINEERING COLLEGE (DEEMED TO BE UNIVERSITY), CHANDIGARH

SECTION V

GENERAL TERMS AND CONDITIONS

1. Clarification of Bidding Documents

A prospective Bidder requiring any clarification of the bidding documents may notify the PEC in writing or by telex or cable or fax at the PEC's mailing address indicated in the Invitation for Bids. The PEC will respond in writing to any request for clarification of the bidding documents which it receives no later than 15 days prior to the deadline for submission of bids prescribed by the PEC.

2. Amendment of Bidding Documents

At any time prior to the deadline for submission of bids, the PEC may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding documents by amendment.

In order to allow prospective bidders reasonable time in which to take the amendment into account in preparing their bids, the PEC, at its discretion, may extend the deadline for the submission of bids.

3. Language of Bid

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the PEC, shall be written in English language. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the English language in which case, for purposes of interpretation of the Bid, the translation shall govern.

4. Period of Validity of Bids

Bids shall remain valid for 120 days after the deadline for submission of bids prescribed by the PEC. A bid valid for a shorter period shall be rejected by the PEC as non-responsive.

5. Opening of Bids by the PEC

The PEC will open all bids, in the presence of Bidders' representatives who choose to attend, as per the schedule given in Table-2.

The Bidders' representatives who are present shall sign a register evidencing their attendance. In the event of date of opening of Tender being declared a holiday, the due date of opening of the Tender will be the next working day at the same hours and venue.

6. Warranty

The entire items shall be in Warranty (from OEM) for the one year from complete commissioning & handing over the system.

7. Payment

- Payment for Goods and Services shall be made in Indian Rupees only as follows:
 - 1. On Final Acceptance
 - 2. 100 percent of the Contract Price shall be paid on the Successful Installation, Training and Satisfactory performance
- The Supplier's request(s) for payment shall be made to the PEC in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and the Services performed, and by documents, submitted and upon fulfillment of other obligations stipulated in the contract.
- Payments shall be made promptly by the PEC
- Payment shall be made in Indian Rupees only.
- No advance payment will be made. Payment will be released after satisfactory receipt of goods/ material, demonstration/training and installation

8. Documents comprising the Bids

The Bids prepared by the Tenderers shall comprise of following components:

- Bid to be furnished as per the format for technical specifications.
- Technical literature for each product/service, covering full technical specifications.
- Bid prices should be quoted item wise as per format provided in excel sheet only duly signed and complete as per the format.
- Maximum educational discount as could be offered should be mentioned.

10. Others Terms and Conditions

- An EMD/ bid security of equipment/item should be submitted in form A/C payee demand draft/banker cheque/FDR from any Commercial Bank valid for 45 days beyond the final bid validity period from any commercial bank in favour of Director Punjab Engineering College (Deemed to be University), Chandigarh. Tender without earnest money shall be considered unresponsive and rejected.
- A Performance security @ 5% of the total value of contract will have to be deposited by the successful bidder awarded the supply order in form of Fixed deposit receipt or Bank Guarantee from a scheduled bank which should be valid for 60 days beyond the completion of warranty/contract period.
- Performance Security will be forfeited and credited to the institute (Punjab Engineering College (Deemed to be University), Chandigarh) in the event the supplier does not honour the warranty/contract and other terms and conditions of the tender.
- Price quoted should be inclusive of Taxes/Levies as per Indian law except custom duty/excise duty.
- The Institute is registered with the Deptt. Of Scientific & Industrial Research(DSIR) for purpose of availing custom duty exemption in terms of Govt. Notification no. 51/96-customs dated 23.07.1996 and Central Excise Duty Exemption in terms of Govt. notification no. 10/97- Central Excise dated 01-03-1997 as amended from time to time.
- The delivery period for supply of the material is 60 days from the date of supply order. The penalty will be charged @ 0.5% of cost of equipment/item per week after the expiry of delivery period, mentioned in the purchase order if delivery date is not extended by the PEC.
- Detailed Catalogue should be sent along with supply of equipment/item.
- All legal disputes will be subject to Chandigarh Jurisdiction and will be interpreted under Indian Laws.
- The Director Punjab Engineering College (Deemed to be University) reserves to himself the right to reject any or all tenders without assigning any reasons.
- The firm who has been blacklisted by Centre/State Govt/UT/Boards/Corporations/any government authority/Punjab Engineering College (Deemed to be University) are not eligible for the Tender.
- All the rates will be FOR, Punjab Engineering College (Deemed to be University), Chandigarh.
- The institute being a premier Education and Research Institute funded by Chandigarh Administration, discounts as applicable to Research Institute/Educational Institutes may be provided in the Tender.

- The bidders shall not be allowed to change, alter or modify the bids after expiry of the deadlines for the receipts of bids.
- The firm is entirely responsible for any damage or losses occurred to the material in the transit. The firm will lodge all complaints regarding the damage occurred in the transit and shall bear all expenses.
- In a tender, either Indian agent on behalf of the Principal/(Original Equipment Manufacturer) OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same tender for the same item/ product.
- EMD/Performance security will stand forfeited if a bidder withdraws its bid during the period of bid validity specified by the bidder on the bid form (SECTION V), and in case of successful bidder, if the bidder fails to supply the equipment/item or to furnish performance security in accordance with the tender.
- Bids received after the due date will not be considered.
- The tenderer is required to bring their own testing and measurement instruments which are required for the installation, commissioning and testing. These can be taken back after completion of the process.
- In case, any free gift scheme / cash scheme is launched by the company same will be offered by the vender to Punjab Engineering College (Deemed to be University), Chandigarh free of cost.
- Generally the bid offer will be received /opened on the day as specified in the schedule. If the scheduled date is declared as a holiday, then the tender shall be received / opened on the next working day at the same time.
- The agency shall arrange to provide demonstration/Training to the concerned lab staff regarding operation / maintenance of equipment/item free of cost.
- A technical compliance chart of the quoted product mentioning technical specifications of quoted product verses asked specifications is compulsory. Attach the compliance chart with technical bid.
- Tender validity should be 120 days from the opening of tender.

All the terms and Conditions of this tender document are acceptable to me /us.

Signature of Bidder

PERFORMANCE SECURITY FORM

(on Non-Judicial Paper)

BANK GUARANTEE BOND FOR PERFORMANCE WARRANTY

То

The President of India, through the Director Punjab Engineering College (Deemed to be University), Sector-12, Chandigarh-160012

Dear Sir,

Sub:_____

- 2. In accordance with the terms of said contract the Contractor has undertaken to produce a Bank Guarantee for Rs______being 5% of (Rs_____) of the total value of the said stores supplied to you for the due fulfilment of its obligations to the President of India for due performance as per the contract during warranty period.
- 3. In consideration thereof, we happily expressly, irrevocably and unconditionally undertake and guarantee as principal obligors on behalf of the contractor that in the event that the President of India submits a written demand to us that the contractor has not performed according to the contractual obligations included in the said contract, we will pay you on the written demand, without demur and without reference to the contractor any sum up to a maximum amount of

Rs.______(Rupees._____). Your demand shall be conclusive evidence to us that such repayment is due under the terms of the said contract. Payment by us to you will be made within (30) days from receipt of your written request making reference to this guarantee and on demand.

- 4. This guarantee shall not be revoked without your express consent and shall not be affected by your granting any indulgence to the contractor, which shall include but not be limited to postponement from time to time of the exercise the same in any manner at any time and either to forbear or to enforce any covenant continued or implied in the said contract or any other course remedy or security available to you, and our Bank shall not be released from its obligations under this guarantee by your exercising any of your rights with reference to matters aforesaid or any of them or by reason of any other indulgence shown by you or by any other matter or thing whatsoever which under law would, but for this provision, have the effect of relieving our bank from its obligation under this guarantee.

force upto and including the discharged.

- 6. Unless a demand or claim under this guarantee is made on us in writing on or before the aforesaid expiry date as provided above or unless this guarantee is extended by us all your rights under this guarantee shall be prescribed and we shall be discharge from the liabilities hereunder.
- 7. This guarantee shall not be affected by any change in the constitutions of our Bank or of the contractor or for any other reason whatsoever.

We ______, Lastly undertake not to revoke this guarantee during its currency except with the prior consent from your office in writing.

Not with standing anything contained herein:

ii. This Bank Guarantee shall be valid upto______ .

iii. We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before

This Bank Guarantee shall be returned to our <u>Name of the Bank</u> Branch at <u>Office Address</u>, once the purpose of the issuance has been fulfilled or upon expiry of this guarantee whichever is earlier. Even return of Original Bank Guarantee is essential for invoking the guarantee with specific request letter from the beneficiary.

| Wittness:,Sign | ature |
|----------------|-------|
|----------------|-------|

| Wittness:,S | Signature |
|-------------|-----------|
|-------------|-----------|

For_____Bank

For____Bank

Authorized Signatory

Authorized Signatory